



Corporate Identification Number (CIN): L24220MH1945PLC004598

For Shares related queries, email to investor.relations@asianpaints.com

For Consumer queries/complaints/Dealership enquiries email to customercare@asianpaints.com

For HR related queries, email to careers@asianpaints.com

For Media related queries, email to proffice@asianpaints.com

Asian Paints Limited

Plot No. 2602 to 2607 & 2609 to 2614, 2701/A + 2701/B, 2702, 2703

GIDC Industrial Estate, Ankleshwar - 393 002.

Tel: (02646) 678000 | www.asianpaints.com

APL/PAINTS/MoEF/HY/DEC-25

Date: 01.12.2025

To,
Deputy Director General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Gandhi Nagar A wing- 407 & 409,
Aranya Bhawan, Near CH-3 Circle,
Sector-10A, Gandhinagar-382010
E mail - iro.gandhingr-mefcc@gov.in

Subject: Submission of Half Yearly Environmental compliance status report of Asian Paints Limited, based out of GIDC, Ankleshwar - 393002

Dear Sir,

Enclosed herewith attached is the half yearly EC compliance report for our plant located at Plot no 2602, GIDC Ankleshwar.

The status of Half yearly Compliance against the granted EC, Ref no SEIAA/GUJ/EC/5(h)/597/2018 is attached herewith.

We trust you will find the above in order.

Thanking you.
Yours faithfully,

For ASIAN PAINTS LIMITED

**Authorized Signatory,
ASIAN PAINTS LIMITED
ANKLESHWAR PLANT**

Encl.:As Above

CC.: - Regional Office, GPCB, Ankleshwar

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Environment Clearance No.: SEIAA/GUJ/EC/5(h)/597/2018					
Sr. No.	Product	Existing (TPA / KLPA)	Additional quantity (TPA/ KLPA)	Total after expansion (TPA / KLPA)	Remark
1	Phallic Anhydride	29796 TPA	-29796 TPA	0	Complied
2	Light and Heavy ends of phthalic Anhydride	360 TPA	-360 TPA	0	Complied
3	Maleic Acid Solution	4860 TPA	-4860 TPA	0	Complied
4	Paints	130000 KLPA	+170000 KLPA	300000 KLPA	Complied, existing CC&A AWH -139701 quantity for paint production is 2,50,000 KLPA. The total Paint production for the period Apr'25 - Sep'25 was 36,304 KL . The month-wise Production figures are attached as Annexure A.
5	Resins and Emulsion (TSR)	32000 TPA	+53000 TPA	85000 TPA	Complied, existing CC&A AWH -139701 quantity for resin & emulsion (TSR) production is 85,000 TPA. The total Synthetic Resins and Emulsion production for the period Apr'25 - Sep'25 was 10,238 MT . The month-wise Production figures are attached as Annexure A.
A	Conditions				
A.1	Specific conditions				
1	Unit Shall Surrender the Membership certificate of M/s NCTL and ensure that there shall be no wastewater discharge outside the premises				Noted & complied. Unit is maintaining complete ZLD. Connection to underground drainage has been disconnected and a disconnection certificate obtained from Notified Area Authority and No wastewater discharge outside the premises.
2	Complete Zero Liquid Discharge (ZLD) shall be maintained all the time				Complied. Annexure B has been attached herewith as ZLD certificate received from GIDC. Annexure C has been attached herewith as existing effluent treatment plant along with ZLD facility.
3	The spent solvent from production processes shall be recovered by in-house distillation in such a manner that recovery is maximum and recovered solvent shall be reused in the process within premises				Complied, The spent solvent from process is recovered through in-house distillation and recovered solvent is further reused in the process within premises.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,

GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

4	Unit shall comply all the conditions & recommendations mentioned in the guidelines for the management of the spent solvents published by GPCB in letter and spirit.	Noted & complied, Unit is complying with the guidelines for the management of the spent solvents published by GPCB.
5	Leak Detection and Repair (LDAR) program shall be prepared and implemented as per the CPCB guidelines	Noted & complied, LDAR Program is prepared as per CPCB Guidelines & it is being followed in plant.
6	Incinerator shall be as per the CPCB Guidelines & proper logbook shall be maintained	Complied, Incinerator is as per CPCB Guidelines & logbook is maintained. For the above span the incinerator was operated for 109 Hrs., complying with legal requirements.
7	Waste generated due to demolition of buildings and other civil structures shall be segregated properly and the Construction and Demolition Waste Management Rules, 2016 shall be followed in letter and spirit	Noted, all civil waste shall be segregated properly and will be disposed of as per the Construction and Demolition Waste Management Rules, 2016.
A.2 WATER		
8	Total water requirement for the project shall not exceed 1300 KL/Day. Unit shall reuse 299.4 KLD of treated water (RO permeate 270 KLD and MEE condensate 29.4 KLD for industrial purpose. Hence, freshwater requirement shall not exceed 1000.6 KL/Day and it shall be met through GIDC water supply only. Prior permission from the concerned authority shall be obtained for withdrawal of water.	Noted & complied, Water consumption of plant will remain within the limit mentioned. During the period of Apr'25 - Sep'25, the maximum freshwater usage was 913 KL/day and average freshwater usage was 313 KL/day & average treated water reused was 20 KL/day .
9	The water meter shall be installed and records of daily and monthly water consumption shall be maintained	Complied, Water meters are provided for measuring and recording quantity of the water consumed at various locations in the plant. Few snapshots of the flow meters are attached as Annexure D.
10	No ground water shall be tapped for the project requirements	Complied, No ground water was tapped for the project requirement.
11	All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT). The unit shall continuously strive to reduce, recycle and reuse the treated effluent	Noted & complied, All efforts are made to optimize water consumption by exploring Best Available Technology (BAT). Currently, unit reuses the treated effluent in operations and will continue to do so.
12	Industrial waste water generation shall not exceed 138 KL/day	Complied, During the period of Apr'25 - Sep'25, the maximum wastewater generated from Industrial purpose was 34.89 KL/day and the average Industrial wastewater generated was 11.65 KL/day . Annexure E has been attached herewith for reference.
13	Entire quantity of effluent stream shall be treated in proposed ETP (Cap. 300 KL/day) comprises of primary, secondary and tertiary treatment followed by RO system.	Complied, Wastewater generated is being treated in ETP which comprises of primary, secondary and tertiary treatment followed by RO and MEE system.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

14	RO reject stream (30 KLD) shall be subjected to in house MEE - Multiple Effective Evaporator.						Complied, RO reject is being treated in MEE - Multiple Effective Evaporator.
15	RO permeate 270 KLD and MEE condensate 29.4 KLD shall be reused for utilize for industrial purpose.						Complied, RO permeate and MEE condensate are being reused for industrial purposes. During the period of Apr'25 - Sep'25, average 20 KL/day treated water was reused for industrial purpose.
16	Domestic waste water 162 KLD/Day shall be treated along with industrial effluent in ETP and treated waste water shall be reused for gardening and toilet flushing within premises.						Complied, During the period of Apr'25 - Sep'25, the maximum domestic wastewater generated was 80 KL/day and the average domestic wastewater generated was 44 KL/day . Annexure E has been attached herewith. Domestic effluent is being treated in ETP along with industrial effluent and reused for gardening / other purposes.
17	Unit shall provide adequate ETP system along with RO & MEE including stripper and ATFD to achieve Zero Liquid Discharge [ZLD].						Noted & complied, Adequate ETP system along with RO & MEE including ATFD to achieve Zero Liquid Discharge (ZLD) has been maintained. Annexure C has been attached herewith.
18	Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days.						Complied, we are having storage tank to store at least 72 hours of effluent in an impervious acid proof brick lining tank. The snapshot of the same is attached as Annexure F
19	The unit shall provide metering facility at the inlet of the ETP & reuse system and maintain records for the same.						Complied, Flowmeters have been provided at the inlet of ETP, RO & MEE treated water.
20	Proper logbooks of ETP, chemical consumption, quantities and qualities of effluent reuse, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.						Complied, the logbook of ETP, quantities and qualities of effluent reuse, power consumption etc. is being maintained and furnished to the GPCB.
21	The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC						Noted, we will evaluate and consider the need to join and participate for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB.
A.3	AIR						
22	Unit shall not exceed quantity of fuel as mentioned in table as under						
Sr. No.	Stack attached to	Capacity	Stack Height (m)	Type of fuel used	Fuel consumption Kg/hr.)	APCM	Noted & complied, in the plant stack height & fuel consumption are as per the limit mentioned in the existing CC&A AWH -139701.
1	Boiler -1	3 MT/Hr.	33.5	NG	78	Adequate Stack Height	
2	Boiler - 2	6 MT/Hr.	33.5	NG	156		
3	DG Set - 1		30	HSD	131		

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,

GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

4	DG Set - 2	8 MW each	30	HSD	131	Adequate Stack Height	Annexure G has been attached herewith for the stack emission monitoring summary report for the period of Apr'25 - Sep'25 along with the sample report for the month May'25.
5	DG Set - 3		30	HSD	131		
6	DG Set - 4		30	HSD	131		
7	DG Set - 5		30	HSD	131		
8	DG Set - 6		30	HSD	131		
9	DG Set - 7		30	HSD	131		
10	DG Set - 8		30	HSD	131		
11	Incinerator (APCM with 95 % efficiency)		2 MTPD	30.5	NG		
12	Thermic Heater - 1	2 Lakh Kcal/hr.	36	NG	120	Adequate Stack Height	
13	Thermic Heater - 2	2 Lakh Kcal/hr.	36	NG	120		
14	Thermic Heater - 3	2 Lakh Kcal/hr.	36	NG	120		
15	Thermic Heater - 4	2 Lakh Kcal/hr.	36	NG	120		
16	Thermic Heater - 5	2 Lakh Kcal/hr.	36	NG	120		
17	Thermic Heater - 6	2 Lakh Kcal/hr.	36	NG	120		
23	Unit shall provide adequate stack height / APCM as mentioned in the above table.						Complied, stacks height in the plant is complying to the existing CC&A AWH - 139701. For all additional equipment as part of the expanded capacity, adequate stack height / APCM as mentioned in the above table shall be ensured.
24	Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution and shall conform to the EPA Rules for air and noise emission standards.						Complied, Acoustic enclosures are provided in the DGs to mitigate the noise pollution and shall conform to the EPA Rules for air and noise emission standards.
25	Stack/Vents of adequate height shall be provided as per the prevailing norms for flue gas emission/Process gas emission						For all equipment stack/vents of adequate height shall be provided as per the prevailing norms for flue gas emission /process gas emission.
26	There shall be no process gaseous emission from the proposed activities						Complied, all necessary equipment / infrastructure provisions are made.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,

GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

27	Flue gas emission & Process gas emission (If any) shall conform to the standards prescribed by the GPCB/CPCB/MoEF & CC. At no time, emission level should go beyond the stipulated standards.	Complied. Annexure G has been attached herewith for the stack emission monitoring summary report for the period of Apr'25 - Sep'25 along with the sample report for the month May'25.
28	All the reactors / vessels used in the manufacturing process shall be closed to reduce the fugitive emission	Complied, All the reactors/vessels used in the manufacturing process are closed to reduce the fugitive emission.
29	Measures shall be taken to reduce the process vapors emissions as far as possible. Use of toxic solvents shall be minimum. All venting equipment shall have vapor recovery system. The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.	Noted & complied, all possible measures are taken to reduce the process vapors emissions. Use of toxic solvents is minimized, and venting equipment has vapor recovery system. The fugitive emission in the work zone environment is being monitored and is conforming to the standard prescribed by the concerned authorities from time to time.
	1. Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement	Noted & complied, All the internal roads are of concrete and paved properly to reduce the fugitive emission during vehicular movement.
	2. Air borne dust shall be controlled with water sprinklers at suitable locations in the plant	Noted, Adequate measures shall be provided to control the air borne dust especially during the construction phase of the project.
30	Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.	Complied, VOCs are being monitored regularly by the MoEF approved lab in the work zone and ambient air. Report is attached as Annexure H.
31	For control of fugitive emission, VOCs, following steps shall be followed	Complied, for control of fugitive emission, closed handling & charging systems are provided for major chemicals and mechanical seals are also provided to prevent leakages.
	1. Closed handling and charging system shall be provided for major chemicals	
	2. Pumps shall be provided with mechanical seals to prevent leakages	
32	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx and VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB	Complied, Ambient Air Quality Monitoring (AAQM) is being adhered to the requirements. Annexure I has been attached herewith in the form of sample AAQM monitoring report by the MoEF approved lab for the month of Apr'25.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

A.4	SOLID / HAZARDOUS WASTES	
33	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.	Complied, Plant complies with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.
34	Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal	Complied, Hazardous waste is dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal in the plant.
35	The unit shall obtain necessary permission from the nearby TSDF site and CHWIF	Complied, Unit has TSDF membership and its certificate has been attached as Annexure J.
36	Oil contaminated with waste water & sludge, Sludge and filters contaminated with oil, Contaminated aromatic, aliphatic or naphthenic solvents, may or may not be fit for reuse, Distillation Residues, Process waste (landfill incinerable), Waste /residues, Waste/residues such as filter aids, Chemical containing residue arising from denomination, Discarded containers/barrels/liners contaminates with hazardous wastes/chemical (linear) incinerable, Spent Ion Exchange Resin containing toxic metals and Oil and Grease skimming residue shall sent to in-house Incinerator or sent to authorized co-processors.	Complied. All categories of waste mentioned are being disposed of as per CC&A AWH - 139701.
37	Spent Carbon shall be return back to supplier for regeneration or sent to in-house Incinerator or sent to authorized co-processors	Noted, Spent Carbon, if generated, shall be returned back to supplier for regeneration or sent to in-house Incinerator or sent to authorized co-processors.
38	Lead Acid Batteries shall be return back to supplier or sent to authorized recyclers as per the Battery Rules 2016	Complied, Lead Acid Batteries are sent to authorized recyclers as per the Battery Rules 2016 & amendments thereafter.
39	Management of Debris and construction waste, Paper waste, Plastic waste, Metal waste, wooden waste, Kitchen waste & Miscellaneous waste shall be as per the provisions of Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016 and the Plastics Waste Management Rules, 2016	Noted, During and post completion of proposed project in the amalgamated plot, management of debris and construction waste, paper waste, plastic waste, metal waste, wooden waste, kitchen waste & miscellaneous waste shall be as per the provisions of Solid Waste management rules, 2016, e waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016 and the Plastic Waste Management Rules, 2016.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

40	ETP waste, Discarded Asbestos sheet, Flue gas cleaning residue, Ash from incineration of hazardous waste, shall be disposed off at the nearby common TSDF	Complied, ETP waste, i.e. chemical sludge from wastewater treatment plant is being sent to authorized co-processor and TSDF for landfilling. Discarded Asbestos sheet, Flue gas cleaning residue, Ash from incineration of hazardous waste, are disposed of at the nearby common TSDF in the existing plant. Annexure K has been attached herewith in the form of blue manifest copies for the Chemical sludge disposal done.
41	Discarded barrels/containers/bags/liners shall be either reused or returned back to suppliers or sold only to the actual users authorized by the SPCB	Complied, Discarded barrels / containers / bags / liners are decontaminated, approved by AEPS and sold as Non-Hazardous waste. Haz. Bags / Liners are sent for landfill / co-processing. The same practice shall be continued as per CCA.
42	Used oil shall be sold only to the actual users authorized by the SPCB	Complied, Used oil is sold only to recyclers authorized by the GPCB.
43	Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.	Noted & Complied, Trucks/tankers used for transportation of hazardous waste are in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
44	The design of the Trucks/tankers shall be such that there is no spillage during transportation	Noted & Complied, The trucks used for transportation of hazardous waste are registered for Haz Waste transportation and designed such that there is no spillage. Same shall be maintained.
45	All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF	Complied, Waste, which is approved by GPCB for coprocessing, is primarily disposed off through co-processing/Pre-processing method. Annexure L has been attached herewith for the period of Apr'25 - Sep'25. Total 75.37 MT hazardous waste was disposed through coprocessing at cement site/Pre-processing.
46	Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit	Noted, There is no fly ash generation in the plant.
A.5	SAFETY	
47	The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963	Noted & Complied, Applicable provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963 is complied at the plant.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,

GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

48	The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.	Complied, we are complying with the provisions of the MSIHC rules in terms of the quantities, Storage and Usage of Hazardous chemicals in the plant. Onsite Emergency Plan is available and will be updated to reflect additions & changes in Chemicals stored and infrastructure post proposed expansion. Annexure M has been attached herewith for the compliance report for the period of Apr'25 - Sep'25.
49	First Aid Box shall be made readily available in adequate quantity at all the times	Complied, Adequate number of first aid boxes are available in plant.
50	Main entry and exit shall be separate and clearly marked in the facility.	Complied, The plant has 5 gates for entry and exit & marked clearly.
51	Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises	Complied, The plant has sufficient peripheral open passage kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
52	Storage of flammable chemicals shall be sufficiently away from the production area	Noted & Complied, The plant has storage of flammable chemicals sufficiently away from the production area.
53	Sufficient number of fire extinguishers shall be provided near the plant and storage area	Complied, The plant has enough fire extinguishers and are placed near plant and storage area. Annexure N has been attached herewith in the form of list of fire extinguishers available at site.
54	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals	Noted & Complied, All necessary precautions are taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals
55	All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities	Noted & Complied, The factory premises has toxic/hazardous chemicals stored in optimum quantity and all necessary permissions in this regard are obtained.
56	The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.	Noted, All commitments in the Risk Assessment Report shall be complied during the designing of the additional infrastructure going forward.
57	Flame proof electrical fittings shall be provided in flame proof zones or wherever applicable in Plant premises	Complied, Flame proof electrical fittings are available in flame proof zones or wherever applicable in Plant premises in existing plant.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

58	Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of one single large capacity tank / containers	Noted & Complied, Unit is storing only required quantity of hazardous chemicals and it is stored as per guidelines and necessary licenses.
59	All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals	Complied, the storage tanks are fitted with appropriate controls to avoid leakages. Bund/dyke walls are also provided for storage tanks for Hazardous Chemicals.
60	Handling and charging of the Major chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs	Noted & Complied, This aspect of closed loop handling is considered and implemented with an endeavor to minimize human exposure.
61	Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency	Complied, the plant has a Health center at Plant with doctor and male nurse. This will continue to serve the purpose. In addition to this, the plant has tied up with nearby hospital (Shreemati Jayaben Mody hospital)
62	Personal Protective Equipment's (PPEs) shall be provided to workers and its usage shall be ensured and supervised.	Complied, Job specific PPE's are provided in the plant and its usage is monitored regularly.
63	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Noted & Complied, Adequate number of first aid boxes with applicable antidotes are available in the existing plant.
64	Training shall be imparted to all the workers on safety and health aspects of chemicals handling.	Complied.
65	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules	Complied, Occupational health surveillance of the workers is carried out once every six months and its records are maintained. Pre-employment and periodical medical examinations for all the workers are also undertaken as per the Factories Act & Rules. Annexure O has been attached herewith in the form of one of the sample medical report conducted in the month of Jun'25.
66	Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules	Noted & Complied, Transportation of hazardous chemical is being done as per the provisions of the Motor Vehicle Act & Rules and will continue to be done.
67	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report	Noted & Complied
68	Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project	Complied, Prior to commissioning of the project, necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others is obtained.
A.6	Noise	

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

69	The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.	We are taking adequate measures so that ambient noise level due to our activities conform to the standards prescribed under The Environment (Protection) Act, 1986 & Rules. Annexure P has been attached herewith in the form of six-monthly Noise report conducted in the month of Jul'25.
A.7	CLEANER PRODUCTION AND WASTE MINIMISATION	
70	The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB	Plant has undertaken cleaner production activities.
	The company shall undertake various waste minimization measures such as	
	a Metering and control of quantities of active ingredients to minimize waste.	This is being complied with.
	b Reuse of by-products from the process as raw materials or as raw materials substitutes	
	c Use of automated and close filling to minimize spillages.	
	d Use of close feed system into batch reactors	
	e Venting equipment through vapor recovery system	
	f Use of high pressure hoses for cleaning to reduce wastewater generation	
71	g Recycling of washes to subsequent batches	Complied, In existing plant, wash water generated during cleaning of vessels is reused back in the subsequent batches thereby reducing the consumption of fresh water in the product and hydraulic load to ETP. MTO used for cleaning is being reused in subsequent batches.
	h Recycling of steam condensate	Noted & Complied, Steam Condensate is being recycled in existing plant. Same shall also be recycled in amalgamated Plant post completion.
	i Sweeping / mopping of floor instead of floor washing to avoid effluent generation.	Noted & Complied, In plant, floor is swept/mopped as a good practice and same shall be maintained in the amalgamated unit
	j Regular preventive maintenance for avoiding leakage, spillage etc.	Noted.
A.8	GREEN BELT AND OTHER PLANTATION	

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

72	The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.	Complied. Green Belt is developed within premises. Current green belt area inside plant is 13516 Sq. mt. Also, in association with the Forest Department (Govt of Gujarat), we have developed a green belt on 9.9 acres of forest land using the concept of social forestry.
73	Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises	Notes, Same is being taken as design input and shall comply after proposed expansion.
B	OTHERS CONDITIONS	
74	All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s: Kadam Environmental Consultants, Vadodara was submitted by project proponent vide letter no. NIL dated 11/09/2017 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.	Noted & Complied, Commitments made during presentation before SEAC and proposed in the EIA report shall be adhered to in the amalgamated plot during and after completion of expansion project.
75	Rain water harvesting of surface as well as rooftop runoff shall be undertaken, and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.	Noted & Complied, Roof top Rainwater harvesting structure will be installed and collected water will be reused inside factory operations, post completion of the expansion project.
76	The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.	Noted, Unit will evaluate and consider the need to join and participate for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB.
77	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.	Complied, Solar Energy is used at Plant for illumination of common areas. Details are attached as Annexure Q. Provision for Solar Water Heating will be explored for need and feasibility.
78	The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.	Noted and complied.
79	All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Noted & Complied, All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be adhered in the amalgamated plot during and after completion of project.
80	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Noted & Complied, This will be complied during and after commissioning of project in amalgamated plot

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

81	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Noted.
82	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.	Noted.
83	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	Noted & Complied, Plant has provisions for material transfer whereby eliminating the chances of spillage. Adequate measures shall be taken up to avoid mixing of accidental spillage with domestic wastewater or storm water
84	Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	Complied, Pucca flooring / impervious layer is provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
85	Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.	Noted & Complied, Provisions are made in the plant so that leakages from Pipes, Pumps are minimum.
86	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Noted, No further expansion or modifications likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from SEIAA.
87	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted, Unit post expansion shall comply with all the above conditions enforced.
88	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.	Noted, Asian Paints company is complying to "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments, and is utilizing the funds earmarked for the benefit of society. The company will continue to comply in future as well.
89	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and risk Assessment study report as well as proposed by project proponent.	Noted, Unit is following all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and risk Assessment study report as well as proposed by the Factory Management.
90	The project authority shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted, Adequate funds shall be earmarked to implement the conditions stipulated by SEIAA as well as GPCB during execution of project at amalgamated plot.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

91	The applicant shall inform the public that the project has been accorded environmental clearance by SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen in the Website of SEIAA/SEAC/GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy of each of the same shall be forwarded to the Regional Office of the Ministry.	Complied, The advertisement in local newspapers, in English and Gujarati, regarding grant of EC by SEIAA has been published. Scanned copy of the newspaper is attached as Annexure R.
92	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Noted, any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for environmental protection and management shall be complied with.
93	It shall be mandatory for the project management to submit half yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard copy and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.	Complied, Half yearly compliance with respect to EC conditions are being submitted regularly.
94	Concealing factual data submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted, correct factual data is being submitted by the existing unit and same shall be continued post expansion.
95	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Noted, stipulations made by the Gujarat Pollution Control Board shall be complied to.
96	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	Noted, conditions mentioned above shall be implemented.
97	The company in a time-bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Noted.
98	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and the final approval of the project by the concerned authorities and the date of issue.	Noted.
99	The environment clearance is valid for seven years from the date of issue.	Noted
100	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
101	Submission of any false or misleading information or data which is material to screening or scoping or appeal or decision on the application makes this environmental clearance cancelled.	Noted.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

INDEX

Sr.No.	LIST OF ANNEXURES	REFERENCE DETAIL
1	Annexure A	Production details
2	Annexure B	ZLD Certificate from GIDC
3	Annexure C	ETP Layout diagram with ZLD facility
4	Annexure D	Snap of Flow meters
5	Annexure E	Trade and Domestic effluent generation data
6	Annexure F	Storage tank snap for 72 hrs. period
7	Annexure G	Stack analysis report
8	Annexure H	VOC analysis report
9	Annexure I	AAQM monitoring report
10	Annexure J	TSDF membership certificate
11	Annexure K	Manifest copies for hazardous waste disposal
12	Annexure L	Haz waste coprocessing data
13	Annexure M	MSIHC data
14	Annexure N	List of fire extinguishers
15	Annexure O	Half Yearly Medical Report
16	Annexure P	Six monthly noise report
18	Annexure Q	Solar data
19	Annexure R	Scan of EC advertisement in newspaper

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Annexure A

Production details

Year	Total Paint Production (KL)	Synthetic Resins and Emulsions (MT)
2025-26	36304	10238
Month	Total Paint Production (KL)	Synthetic Resins and Emulsions (Mt)
Apr-25	6021	1833
May-25	5658	1696
Jun-25	5879	1721
Jul-25	5645	1486
Aug-25	5969	1638
Sep-25	7133	1864
Total	36304	10238

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure B

ZLD Certificate from GIDC

NOTIFIED AREA OFFICE (GUJARAT INDUSTRIAL DEVELOPMENT CORPORATION)

Office of the Dy. Executive Engineer (Drainage)
Plot No. 016/519, AIA Community Centre,
GIDC, Ankleshwar-393 002.
Phone : 02646-251359
Fax : 02646-251750

Our Ref. No. : N.A./ANK/DEE/DRG/503

Date : 6 JUL 2018

CERTIFICATE

To whom so ever it may concern

This is to certify that M/s. Asian Paints Ltd; Plot No: 2602 at GIDC, Ankleshwar is now Zero Liquid Discharge Unit. The Drainage connection of this unit has been disconnected on dtd. 06-07-2018. At present this unit is not having any underground drainage connection to GIDC drainage network.


Dy. Ex. Engineer (Drg & Road)
N.A, GIDC, Ankleshwar.

To,
M/s. Asian Paints Ltd.
Plot No: 2602,
GIDC, Ankleshwar

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

NOTIFIED AREA OFFICE (GUJARAT INDUSTRIAL DEVELOPMENT CORPORATION)

Office of the Dy. Executive Engineer (Drainage)
Plot No. 618/619, AIA Community Centre,
GIDC, Ankleshwar-393 002.
Phone : 02646-251359
Fax : 02646-251750

Our Ref. No. : N.A./ANK/DEE/DRG/1071.

Date : 27 Dec 2019

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that M/s. Asian Paints Ltd(Phthalic Division);
Plot No: 2702 at GIDC, Ankleshwar has applied to GPCB for Zero Liquid
Discharge. The Drainage connection of this unit has been disconnected
on dtd. 20-12-2019. At present this unit is not having any underground
drainage connection to GIDC drainage network.


Dy. Ex. Engineer (Drg & Road)
N.A, GIDC, Ankleshwar.

To,
M/s. Asian Paints Ltd.(Phthalic Division)
Plot No: 2702,
GIDC, Ankleshwar


Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Annexure C

ETP Layout diagram with ZLD facility



Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)


ETP capacity details		
S. No.	Tank Capacity	Capacity
1	Equalization Tank - A	32 KL
2	Equalization Tank - B	32 KL
3	Equalization Tank - C	28 KL
4	Aeration Tank - 1	90 KL
5	Bio Clarifier - 1	17 KL
6	Aeration Tank 2 cum bio clarifier	360 KL
7	Chlorination tank	6 KL
8	Pressure sand filter (Rate of filtration)	11.05 m ³ /m ² .h
9	Activated Carbon filter (Rate of filtration)	11.05 m ³ /m ² .h
10	Slurry Pit	7.8 KL
11	Centrifuge	5 m ³ /hr
12	ETP Treated water Storage Tank	20 KL
13	RO Plant Feed Tank	100 KL
14	RO Plant	180 m ³ /Day
15	MEE Plant Feed tank	110 KL
16	MEE Plant	1.5 KL/hr
17	RO Permeate tank	10 KL
18	MEE Condensate Tank	20 KL
19	Sludge Drying Bed - 1	18.9 KL
20	Sludge Drying Bed - 2	18.9 KL
21	Sludge Drying Bed - 3	18.9 KL
22	Sludge Drying Bed - 4	18.9 KL

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Annexure D

Snap of Flow meters



Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure E

Trade and Domestic effluent generation data

Date	Apr-25		May-25		Jun-25	
	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)
1	27	10	45	16	37	0
2	31	14	40	11	60	8
3	15	15	38	10	40	17
4	30	10	20	6	38	8
5	38	17	38	29	39	9
6	25	11	45	21	38	12
7	25	21	43	12	37	12
8	39	12	55	5	41	15
9	42	13	45	17	41	22
10	36	26	34	18	41	6
11	28	14	20	19	34	16
12	39	8	48	13	41	14
13	9	8	44	11	35	12
14	40	9	45	21	40	12
15	49	35	48	10	41	4
16	40	15	33	13	42	14
17	43	22	42	6	47	11
18	48	15	33	4	53	17
19	28	17	30	25	51	11
20	47	14	35	11	59	15
21	45	12	56	5	54	12
22	44	13	41	11	65	6
23	39	8	56	12	65	7
24	27	6	60	21	56	11
25	38	11	42	10	62	6
26	48	4	41	6	80	14
27	34	12	47	15	23	1
28	37	16	55	6	26	11
29	38	17	53	4	51	17
30	45	7	52	14	53	3
31	-	-	50	10	-	-
Max	49	35	60	29	80	22
Min	9	4	20	4	23	0
Avg	36	14	43	13	46	11
CCA Limit	112	68	112	68	112	68

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)


Date	Jul-25		Aug-25		Sep-25	
	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)	DOMESTIC EFFLUENT (KLD)	INDUSTRIAL EFFLUENT (KLD)
1	38	27	71	5	46	11
2	42	17	12	7	34	11
3	33	11	26	13	69	15
4	58	11	47	17	13	12
5	54	9	37	9	40	4
6	65	10	38	14	47	9
7	23	10	46	16	56	11
8	34	17	47	12	69	25
9	1	11	23	0	45	14
10	55	7	13	18	43	15
11	54	12	51	17	49	13
12	69	11	43	1	46	7
13	44	6	47	16	38	14
14	41	9	47	22	31	18
15	53	12	28	0	34	6
16	47	12	12	0	42	6
17	46	13	46	20	62	0
18	62	9	39	12	27	15
19	26	11	54	19	49	10
20	46	0	56	21	52	4
21	66	12	60	8	34	0
22	60	5	60	19	53	8
23	31	12	45	10	37	17
24	0	18	52	9	47	4
25	48	8	59	15	42	8
26	59	9	69	11	49	11
27	61	3	60	15	38	2
28	67	8	50	17	61	17
29	56	5	56	10	57	4
30	54	17	63	5	47	7
31	40	13	66	13	-	-
Max	69	27	71	22	9	0
Min	0	0	12	0	13	0
Avg	46	11	46	12	45	10
CCA Limit	112	68	112	68	112	68

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Annexure F

Storage tank snap for 72 hrs. period



Guard pond of 380 KL capacity and underground storage tanks below the RO and MEE facilities with 100KL Storage each

Total Capacity is $380+100+100 = 580$ KL against the requirement of 540 KL (3 days*180 KL/day)

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure G

Stack analysis report

Stack Sample details	Parameters	UOM	CCA Limit	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25
Incinerator Stack	Particulate Matter	mg/Nm3	40	26.10	29.70	26.33	28.42	25.62	28.42
	Sulfur Dioxide as SO2	mg/Nm3	160	57.90	54.20	16.88	18.47	15.74	17.79
	Oxides of Nitrogen as NOX	mg/Nm3	320	106.00	109.00	42.37	45.82	38.65	42.84
	Hydrochloric Acid as HCl	mg/Nm3	40	12.10	14.60	5.34	6.34	5.84	6.54
	Carbon Monoxide as CO	mg/Nm3	80	14.30	16.10	13.74	16.03	13.74	16.03
	Hydrogen Fluoride as HF	µgm/m3	3.2	1.02	1.08	1.98	2.26	1.97	1.68
	Organic Content-TOC	mg/l	16	ND	ND	ND	ND	ND	ND
	Lead as Pb	mg/l	0.4	0.210	0.280	0.156	0.184	0.162	0.176
	Total Dioxin and Furans	ng/NM3	0.08	-	-	0.0004	-	-	-
	Temperature of Flue Gas	°C	NS*	72.00	78.00	66.00	58.00	56.00	58.00
	Velocity of flue Gas	m/sec	NS*	6.36	6.42	5.42	5.46	5.62	5.54
	Oxygen as O2	%	NS*	9.20	9.60	10.80	10.60	10.80	10.60
	Volumetric Flow Rate of Gas	Nm3/hr	NS*	5430	5230	5573	5612	5808	5739
IBR Boiler Stack	Temperature of Flue Gas	oC	NS*	Not operated	Not operated	Not operated	Not operated	Not operated	Not operated
	Velocity of flue Gas	m/sec	NS*						
	Particulate Matter	mg/Nm3	120						
	Sulfur Dioxide as SO2	ppm	80						
	Oxides of Nitrogen as NOX	ppm	40						
	Volumetric Flow Rate of Gas	m3/sec	NS*						
	Carbon Dioxide as CO2	mg/kg	NS*						
	Oxygen as O2	mg/kg	NS*						
Carbon Monoxide as CO	mg/kg	NS*							
Thermo Pack TP 1 (1 & 2)	Temperature of Flue Gas	oC	NS*	Not operated	Not operated	Not operated	Not operated	Not operated	Not operated
	Velocity of flue Gas	m/sec	NS*						
	Particulate Matter	mg/Nm3	120						
	Sulfur Dioxide as SO2	ppm	80						
	Oxides of Nitrogen as NOX	ppm	40						
	Volumetric Flow Rate of Gas	m3/sec	NS*						
	Carbon Dioxide as CO2	mg/kg	NS*						
	Oxygen as O2	mg/kg	NS*						
	Carbon Monoxide as CO	mg/kg	NS*						
Thermo Pack TP 2 (3 & 4)	Temperature of Flue Gas	oC	NS*	Not operated	Not operated	Not operated	Not operated	Not operated	Not operated
	Velocity of flue Gas	m/sec	NS*						
	Particulate Matter	mg/Nm3	120						
	Sulfur Dioxide as SO2	ppm	80						
	Oxides of Nitrogen as NOX	ppm	40						
	Volumetric Flow Rate of Gas	m3/sec	NS*						
	Carbon Dioxide as CO2	mg/kg	NS*						
	Oxygen as O2	mg/kg	NS*						
	Carbon Monoxide as CO	mg/kg	NS*						

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,

GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

DG SET - 1 - GEN A 601 (320 KVA) - GATE 1	Temperature of Flue Gas	oC	NS*	144	142	146	145	134	132
	Velocity of flue Gas	m/sec	NS*	8.68	8.56	8.41	8.26	8.24	8.55
	Particulate Matter	mg/Nm3	120	22.47	18.4	21.59	20.8	25.64	23.42
	Sulfur Dioxide as SO2	ppm	80	5.58	9.2	6.56	5.9	6.32	5.5
	Oxides of Nitrogen as NOX	ppm	40	24.36	26.9	25.53	26.3	25.66	24.31
	Volumetric Flow Rate of Gas	m3/sec	NS*	0.27	0.26	0.26	0.24	0.26	0.27
	Carbon Dioxide as CO2	mg/kg	NS*	75600	75600	79200	75600	75600	79200
	Oxygen as O2	mg/kg	NS*	212058	210749	213367	210749	210749	212058
	Carbon Monoxide as CO	mg/kg	NS*	ND	ND	ND	ND	ND	ND
DG SET - 3 - GEN A 603 (320 KVA) - GATE 1	Temperature of Flue Gas	oC	NS*	140	138	136	133	130	134
	Velocity of flue Gas	m/sec	NS*	8.24	8.28	8.56	8.44	8.62	8.24
	Particulate Matter	mg/Nm3	120	21.53	19.2	20.4	21.9	20.31	22.33
	Sulfur Dioxide as SO2	ppm	80	6.58	5.8	7.27	6.8	5.87	6.27
	Oxides of Nitrogen as NOX	ppm	40	27.69	26.2	25.45	28.4	24.43	22.49
	Volumetric Flow Rate of Gas	m3/sec	NS*	0.26	0.25	0.27	0.25	0.27	0.26
	Carbon Dioxide as CO2	mg/kg	NS*	79200	81000	77400	77400	73800	75600
	Oxygen as O2	mg/kg	NS*	213367	214676	212058	212058	213367	218603
	Carbon Monoxide as CO	mg/kg	NS*	ND	ND	ND	ND	ND	ND
DG SET - 4 - GEN A 610 (500 KVA) - GATE 1	Temperature of Flue Gas	oC	NS*	125	127	122	125	114	116
	Velocity of flue Gas	m/sec	NS*	7.82	7.68	7.55	7.58	7.55	7.25
	Particulate Matter	mg/Nm3	120	26.43	24.2	22.4	23.8	22.62	19.43
	Sulfur Dioxide as SO2	ppm	80	6.28	6.4	5.38	6.8	5.72	6.44
	Oxides of Nitrogen as NOX	ppm	40	26.57	23.2	27.51	29.5	26.32	25.66
	Volumetric Flow Rate of Gas	m3/sec	NS*	0.25	0.26	0.24	0.26	0.24	0.23
	Carbon Dioxide as CO2	mg/kg	NS*	77400	73800	81000	75600	75600	81000
	Oxygen as O2	mg/kg	NS*	217294	215985	213367	214676	214676	213367
	Carbon Monoxide as CO	mg/kg	NS*	ND	ND	ND	ND	ND	ND
DG SET - 5 - GEN A 609 (1250 KVA) - GATE 1	Temperature of Flue Gas	oC	NS*	136	138	134	135	122	126
	Velocity of flue Gas	m/sec	NS*	8.35	8.26	8.03	7.88	8.61	8.46
	Particulate Matter	mg/Nm3	120	20.33	16.4	21.47	18.5	25.59	21.43
	Sulfur Dioxide as SO2	ppm	80	5.51	5.9	6.16	5.7	6.51	5.25
	Oxides of Nitrogen as NOX	ppm	40	22.64	21.3	24.43	26.8	24.61	23.59
	Volumetric Flow Rate of Gas	m3/sec	NS*	0.8	0.78	0.77	0.72	0.83	0.81
	Carbon Dioxide as CO2	mg/kg	NS*	73800	81000	77400	81000	86400	82800
	Oxygen as O2	mg/kg	NS*	212058	213367	214676	210749	213367	214676
	Carbon Monoxide as CO	mg/kg	NS*	ND	ND	ND	ND	ND	ND

Note: NS* - NOT SPECIFIED, ND* - NOT DETECTED

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QF/7.8/20-ST

Page: 1 of 1

Customer's Name and Address :

**M/S. ASIAN PAINTS LIMITED
PLOT NO.:2702, GIDC,
ANKLESHWAR – 393 002.**

Test Report No. : **PL/APA/25/05/0001**

Issue Date : **14/05/2025**

Customer's Ref. : **PO. No. 0015413034
Dated: 27/03/2025**

STACK DETAILS

Sampling Location	: Thermo pack Stack-1	Sampling Procedure	: As per table
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Protocol (purpose)	: Stack Monitoring
Date of Sampling	: 07/05/2025	Stack Height Ground Level	: 36 Meter
Date of Completion	: 14/05/2025	Fuel Used**	: Natural Gas
Time of Sampling in Hrs	: 15:00 TO 16:00	Cross Section Area (m ²)	: 0.1963
Stack Diameter**	: 0.50 Meter		
Lab ID	: APA/2505/01 [A-I]		

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Temperature of Flue Gas	°C	112	NS*	IS:11255 (Part-3)
2	Velocity of flue Gas	m/sec	6.51	NS*	IS:11255 (Part-3)
3	Particulate Matter	mg/Nm ³	Not Detected	120	IS 11255 (Part-1)
4	Sulfur Dioxide as SO ₂	ppm	5.65	80	IS 11255 (Part-2)
5	Oxides of Nitrogen as NO _x	ppm	25.46	40	IS 11255 (Part-7)
6	Volumetric Flow Rate of Gas	m ³ /sec	1.28	NS*	IS:11255 (Part-3)
7	Carbon Dioxide as CO ₂	mg/kg	57600	NS*	CPCB guidelines for source emission monitoring - Digital Gas Analyzers
8	Oxygen as O ₂	mg/kg	201586	NS*	
9	Carbon Monoxide as CO	mg/kg	Not Detected	NS*	

NS*: Not Specified, Detection Limit: Carbon Monoxide as CO: 0.001 mg/kg**Details provided by customer.
Results on 11 % O₂ Correction when Oxygen is Greater than 11 % and 12 % CO₂ Correction when CO₂ is less than 12 %


Ravi Jariwala
Sr. Environmental Scientist


Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

- Recognised Env. Lab under Env. (Protection) Act-1986 (CPCB)
- Recognised Schedule II Env. Auditor (GPCB)
- ZDHC Approved for Wastewater Guidelines V2.2
- ISO 9001 / 14001 / 45001

"Pollucon House", Plot No. 5 & 6, Opp. Balaji Industrial Soc., Old Shantinath Silk Mill Lane, Navjivan Circle, Udhna Magdalla Road, Surat-395007, Gujarat, India.
Phone : 0281-2635750/5175, Mo. 70166 05174, 70462 61750, WEB : www.polluconlab.com, E-mail : pollucon@gmail.com, quotation@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QP/7.8/20-ST

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. : PL/AP/25/05/0001 Issue Date : 17/05/2025 Customer's Ref. : PO. No. 0015413035 Dated: 27/03/2025
--	--

STACK DETAILS


Sampling Location	: DG SET - 1 GEN A 601 (Near Gate 1) (320 KVA)	Sampling Procedure	: As per table
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Protocol (purpose)	: Stack Monitoring
Date of Sampling	: 07/05/2025	Stack Height/Ground Level	: 10 Meter
Date of Completion	: 12/05/2025	Fuel Used**	: HSD
Time of Sampling in Hrs	: 10:00 TO 11:00	Cross Section Area (m ²)	: 0.0314
Stack Diameter**	: 0.2 Meter	Lab ID	: ASA/2505/14 [A-I]

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Temperature of Flue Gas	°C	142	N5*	IS:11255 (Part-3)
2	Velocity of flue Gas	m/sec	6.56	N5*	IS:11255 (Part-3)
3	Particulate Matter	mg/Nm ³	18.4	120	IS 11255 (Part-1)
4	Sulfur Dioxide as SO ₂	ppm	9.2	80	IS 11255 (Part-2)
5	Oxides of Nitrogen as NO _x	ppm	26.9	40	IS 11255 (Part-7)
6	Volumetric Flow Rate of Gas	m ³ /sec	0.26	N5*	IS:11255 (Part-3)
7	Carbon Dioxide as CO ₂	mg/kg	75600	N5*	GPCB guidelines for source emission monitoring - Digital Gas Analyzers
8	Oxygen as O ₂	mg/kg	210749	N5*	
9	Carbon Monoxide as CO	mg/kg	Not Detected	N5*	

N5*: Not Specified, Detection Limit: Carbon Monoxide as CO: 0.001 mg/Nm³**Details provided by customer.
Results as 12 % O₂, Correction when Oxygen is Greater than 12 % and 12 % CO₂, Correction when CO₂ is 12 % or 12 %


Ravi Jariwala
Sr. Environmental Scientist


Dr. Arun Bajpai
Lab Manager(Q)

Note: This report is valid for use only as specified in the Report Header.

• An ISO 9001:2015 Certified Body • ISO 17025:2017 Certified • ISO 14001:2015 Certified • ISO 45001:2018 Certified
Sec. 12 of Environmental Protection Act, 1986 • Sec. 26 of Air Act, 1986

"Pollucon House", Plot No.56, Opp.Balaji Industrial Society, Old Shanabroth Silk Mill Lane, Near Gayatri Farsan Mart,
Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07616605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QF/7.0/20-ST

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. :	PL/AP/25/05/0002
	Issue Date :	17/05/2025
	Customer's Ref. :	PO. No. 0015413035 Dated: 27/03/2025

STACK DETAILS

Sampling Location :	DG SET - 3 GEN A 603 (Near Gate 1) (320 KVA)		
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Sampling Procedure :	As per table
Date of Sampling :	07/05/2025	Protocol (purpose) :	Stack Monitoring
Date of Completion :	12/05/2025	Stack Height (Ground level) :	10 Meter
Time of Sampling in Hrs :	11:10 TO 12:10	Fuel Used** :	HSD
Stack Diameter** :	0.2 Meter	Cross Section Area (m ²) :	0.0314
Lab ID :	ASA/2505/15 (A-I)		

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Temperature of Flue Gas	°C	130	NS*	IS:11255 (Part-3)
2	Velocity of Flue Gas	m/sec	0.20	NS*	IS:11255 (Part-3)
3	Particulate Matter	mg/Nm ³	19.2	120	IS 11255 (Part-1)
4	Sulfur Dioxide as SO ₂	ppm	5.0	50	IS 11255 (Part-2)
5	Oxides of Nitrogen as NO _x	ppm	26.2	40	IS 11255 (Part-7)
6	Volumetric Flow Rate of Gas	m ³ /sec	0.25	NS*	IS:11255 (Part-3)
7	Carbon Dioxide as CO ₂	mg/kg	81000	NS*	GPCB guidelines for source emission monitoring - Digital Gas Analyzers
8	Oxygen as O ₂	mg/kg	214676	NS*	
9	Carbon Monoxide as CO	mg/kg	Not Detected	NS*	

NS*: Not Specified, Detection Limit; Carbon Monoxide as CO: 0.001 mg/kg** Details provided by customer.
Results as % N₂, Correction when Oxygen is Greater than 11 % and 12 % CO₂, Correction when CO₂ is less than 12 %


Ravi Jariwala
Sr. Environmental Scientist


Dr. Arun Bajpai
Lab Manager(Q)

Recognized by MoEF, New Delhi Under GPCB approved ISO 15189:2015 NABL 55001:2015
Lab No. 12 of Environmental Protection Act 1986 Accredited under

"Pollucon House", Plot No.54, Opp. Balaji Industrial Society, Old Shantinadi Silk Mill Lane, Near Gayatri Park Main,
Navjivan Circle, Vidya Nagar, Mughda La Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2625775, 0261-605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

CF/7.8/20-ST

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. :	PL/AP/25/05/0003
	Issue Date :	17/05/2025
	Customer's Ref. :	PO. No. 0015413035
		Dated: 27/03/2025

STACK DETAILS

Sampling Location :	DG SET- 4 GEN A 610 (Near Gate 1) (500 KVA)		
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Sampling Procedure :	As per table
Date of Sampling :	07/05/2025	Protocol (purpose) :	Stack Monitoring
Date of Completion :	12/05/2025	Stack Height Ground Level :	10 Meter
Time of Sampling in Hrs :	12:20 TO 13:20	Fuel Used** :	HSD
Stack Diameter** :	0.2 Meter	Cross Section Area (m ²) :	0.0314
Lab ID :	ASA/2505/16 [A-I]		

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Temperature of Flue Gas	°C	127	NS*	IS:11255 (Part-3)
2	Velocity of Flue Gas	m/sec	7.68	NS*	IS:11255 (Part-3)
3	Particulate Matter	mg/Nm ³	24.2	120	IS 11255 (Part-1)
4	Sulfur Dioxide as SO ₂	ppm	6.4	80	IS 11255 (Part-2)
5	Oxides of Nitrogen as NO _x	ppm	33.2	40	IS 11255 (Part-7)
6	Volumetric Flow Rate of Gas	m ³ /sec	0.26	NS*	IS:11255 (Part-3)
7	Carbon Dioxide as CO ₂	mg/kg	73000	NS*	CPCB guidelines for source emission monitoring - Digital Gas Analyzers
8	Oxygen as O ₂	mg/kg	215965	NS*	
9	Carbon Monoxide as CO	mg/kg	Not Detected	NS*	

NS*: Not Specified, Detection Limit: Carbon Monoxide as CO: 5000 mg/kg** Details provided by customer.
Results \geq 1% CO₂ Correction when Oxygen is Greater than 15% and \geq 1% CO₂ Correction when CO₂ is less than 12%.

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager(Q)

Notes: This report is valid only if conditions mentioned are met.

Recognized by MoEF, New Delhi under Section 12 of Environment Protection Act, 1986. ISO 15189:2013, ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, ISO 19011:2018

"Pollucon House", Plot No.56, Opp. Balaji Industrial Society, Old Shanbhadra Silk Mill Lane, Near Gaytri Parkson Mart,
Navjivan Circle, Ushahana Magdalla Road, Surat-393007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07016605174, WEB: www.polluconlabs.com, E-mail: pollucon@gmail.com, info@polluconlabs.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QF/7.4/20-ST

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. :	PL/AP/25/05/0004
	Issue Date :	17/05/2025
	Customer's Ref. :	PO. No. 0015413035
		Dated: 27/03/2025

STACK DETAILS

Sampling Location :	DG SET - 5 GEN A 609 (Near Gate 1) (1250 KVA)		
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Sampling Procedure :	As per table
Date of Sampling :	07/05/2025	Protocol (purpose) :	Stack Monitoring
Date of Completion :	12/05/2025	Stack Height Ground level :	30 Meter
Time of Sampling in Hrs :	13:30 TO 14:30	Fuel Used** :	HSD
Stack Diameter** :	0.35 Meter	Cross Section Area (m ²) :	0.0961
Lab ID :	ASA/2505/17 [A-I]		

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	GPCB LIMIT**	TEST/SAMPLING METHOD
1	Temperature of Flue Gas	°C	130	NS*	IS:11255 (Part-3)
2	Velocity of Flue Gas	m/sec	0.26	NS*	IS:11255 (Part-3)
3	Particulate Matter	mg/Nm ³	16.4	120	IS 11255 (Part-1)
4	Sulfur Dioxide as SO ₂	ppm	5.9	80	IS 11255 (Part-2)
5	Oxides of Nitrogen as NO _x	ppm	21.3	40	IS 11255 (Part-7)
6	Volumetric Flow Rate of Gas	m ³ /sec	0.78	NS*	IS:11255 (Part-3)
7	Carbon Dioxide as CO ₂	mg/kg	81000	NS*	CPCB guidelines for source emission monitoring - Digital Gas Analyzers
8	Oxygen as O ₂	mg/kg	213367	NS*	
9	Carbon Monoxide as CO	mg/kg	Not Detected	NS*	

NS*: Not Specified, Detection Limit: Carbon Monoxide as CO: 5000 mg/kg**Details provided by customer.

Results as % CO₂, Correction when Oxygen in Gas is 12% and 12% CO₂, Correction when CO₂ is less than 12%.

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: Pollucon is a Lab. (as per Govt. authorized format)

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental Protection Act-1986 • GPCB approved • ISO 10012:2018 • ISO/IEC 17025:2017 • ISO 9001:2015

"Pollucon House", Plot No.5/6, Opp. Bajaj Industrial Society, Old Shantisath Silk Mill Lane, Near Gajraj Fashion Mart,
 Navjivan Choke, Vidhwan Marg (14) Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605774, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure H

VOC analysis report



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QPV/6/20-EX

Page: 1 of 1

Customer's Name and Address :

M/S. ASIAN PAINTS LIMITED
2602, GIDC, INDUSTRIAL ESTATE,
ANKLESHWAR - 393 002
TEL NO. (02646) 678 000

Test Report No. : PL/AP/25/04/0019
Issue Date : 02/05/2025
Customer's Ref. : PO. No. 0015413035
Dated: 27/03/2025

VOC RESULT

Date of Sampling : As per table Test parameter : VOC
Sampling Team Member : Pollucon Laboratories Pvt. Ltd. Test Method : VOC Meter
Description of Instrument Used : VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK

SR. NO.	LOCATION	VOC in ppm			
		04/04/2025	11/04/2025	18/04/2025	25/04/2025
1	IPB Ground Floor	5.6	5.2	4.5	4.7
2	IPB 1 st Floor	2.2	2.6	2.1	2.8
3	IPB 2 nd Floor	9.6	9.4	9.1	8.6
4	EIRS 2 nd Floor	2.6	2.5	1.9	2.2
5	EIRS 1 st Floor	0.8	0.7	0.9	1.3
6	LRS 3 rd Floor	4.2	4.3	4.2	4.5
7	SFB Laboratory	8.6	8.2	7.2	6.8
8	SFB 2 nd Floor	3.7	3.2	4.6	4.2


H. T. Shah
Lab. Manager


Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
End of Report

● Registered P.V. Lab under
EAW, Directorate 401-1996 (CPCB)

● Registered Section 11
EAW, Audit (CPCB)

● ISO 15189 Approved by
Watermark Certification S.L.L

● ISO 9001:2015 - 45001

"Pollucon House", Plot No. 5 & 6, Opp. Bajaj Industrial Soc., Old Shantimath 5th Mill Lane, Navjivan Circle, DhPura, Magdalla Road, Surat-393007, Gujarat, India.
Phone: 0261-2632760/61/62, Ms. 70188 05174, 70482 81758, WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, quality@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QS/7 370 EX

Customer's Name and Address :

Page 1 of 1

M/S. ASIAN PAINTS LIMITED Plot No.:2702, GIDC, ANKLESHWAR - 393 002.	Test Report No. :	PL/APA/25/04/0002
	Issue Date :	09/04/2025
	Customer's Ref. :	PO. No. 0015413014 Dated: 27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck TIGER, Make: IDN Science, UK		

SR. NO.	LOCATION	VOC in ppm
		02/04/2025
SPB		
1	SPB Ground Floor (Packing Floor)	5.1
2	SPB Mezzanine Floor	7.8
3	SPB First Floor (Processing Floor)	3.4
4	SPB First Floor (SPB PQC Lab)	1.1
5	SPB Second Floor	6.1
6	RB Ground Floor (Packing Floor)	2.7
7	RB Mezzanine Floor (Filtration Floor)	5.6
8	RB First Floor (DL/Processing Floor)	4.5
9	RB Second Floor (REA Floor)	5.3


H. T. Shah
Lab. Manager


Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned over eaf
End of Report







"Pollucon House", Plot No. 3 & 4, Opp. Bhatiji Industrial Soc., Old Bham Road, S.P. Mill Lane, Nalagarh Circle, Solapur Maharashtra India. Phone: 020-2222-2222, 020-2222-2222
Phone: 020-2222-2222, 020-2222-2222, 020-2222-2222. Web: www.pollucon.com Email: info@pollucon.com, sales@pollucon.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
 GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QF/25/20-BX

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED
 2602, GIDC, INDUSTRIAL ESTATE,
 ANKLESHWAR - 393 002
 TEL NO. (02646) 676 000

Test Report No. : PE/AP/25/05/0018
 Test Date : 04/06/2025
 Customer's Ref. : PG. No. 0015413035
 Dated: 27/03/2025

VOC RESULT

Date of Sampling : As per table Test parameters : VOC
 Sampling Team Member : Pollucon Laboratories Pvt. Ltd. Test Method : VOC Meter
 Description of Instrument Used : VOC Meter, Model: Photochek T262R, Make: IDN Science, UK

SR. NO.	LOCATION	VOC in ppm			
		02/05/2025	07/05/2025	23/05/2025	30/05/2025
1	EPB Ground Floor	5.1	4.8	4.3	3.9
2	EPB 1 st Floor	1.5	1.9	2.3	1.7
3	EPB 2 nd Floor	7.9	8.3	8.9	7.5
4	EIRS 2 nd Floor	1.9	2.1	1.5	1.6
5	EIRS 1 st Floor	0.6	0.5	0.8	0.9
6	EIRS 3 rd Floor	3.6	3.5	3.4	3.5
7	SPB Laboratory	6.5	6.2	6.9	7.1
8	SPB 7 th Floor	1.5	3.1	3.9	1.6

H. T. Shah
 Lab. Manager

Dr. Arun Rajpal
 Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned elsewhere.
 End of Report

- Registered Env. Lab under Env. Protection Act-1986 (EPA)
- Registered Schedule II Env. Author (GNER)
- Lab is Approved for Wastewater Guidelines V1.1
- ISO 9001:2008 / 45001

Pollucon House*, Plot No 3 & 4, Opp. Shreeji Industrial Soc., Old Shantivan Diu, Mill Lane, Borejvan Circle, Vidya Nagar Road, Sector-158007, Gujarat, India.
 Phone : 0261-2607300/3070, Mo. 76160 80176, 79402 61730, Web : www.polluconlab.com, Email : pollucon@pollucon.com, quality@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QF/7.8/23 EX

Customer's Name and Address

Page: 1 of 1

M/S, ASIAN PAINTS LIMITED PLOT NO.:2702, GIDC, ANKLESHWAR - 393 002.	Test Report No. :	PL/APP/25/05/0003
	Issue Date :	14/05/2025
	Customer's Ref. :	PO. No. 0015413034 Dated: 27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt Ltd	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck T107N, Make: TON Science, UK		

SR. NO.	LOCATION	VOC in ppm
		02/05/2025
SPB		
1	SPB Ground Floor (Packing Floor)	5.8
2	SPB Mezzanine Floor	7.1
3	SPB First Floor (Processing Floor)	3.9
4	SPB First Floor (SPB RQC Lab)	3.7
5	SPB Second Floor	6.1
RB		
6	RB Ground Floor (Packing Floor)	2.4
7	RB Mezzanine Floor (Pstraton Floor)	4.6
8	RB First Floor (RI/Processing Floor)	3.3
9	RB Second Floor (REA ROOM)	5.8
10	RB Second Floor (RB Lab)	3.2
11	RB Third Floor (Hopper Floor)	3.8

H. T. Shah
Lab. Manager

Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
*****End of Report*****

- Recognized Firm Laboratory
Lab. (Pollution) Act-1986 (CPCB)
- Recognized Schedule II
Env. Auditor (CPCB)
- ISO 9001 : 2015, 14001, 45001
- ISO 17025 : 2017

"Pollucon House", Plot No. 9 & 6, Opp. Sakaj Industrial Bldg., Old Shantipur Sikri Mill Lane, Nanjan Circle, Uthna (Bajaj's Road), Surat-392007, Gujarat, India.
Phone : 0221-5637355/574, No. 70166 62374, 70462 61750, Web : www.polluconlab.com, E-mail : pollucon@gmail.com, info@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QF/7 @/26-EX

Customer's Name and Address:

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. :	PL/AP/25/06/0019
	Issue Date :	03/07/2025
	Customer's Ref. :	PO. No. 0015413035
		Dated: 27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Measur
Description of Instrument Used :	VOC Measur, Model: Photocheck TIGER, Make: ION Science, UK		

SRL NO.	LOCATION	VOC in ppb			
		04/06/2025	09/06/2025	17/06/2025	24/06/2025
1	SPB Ground Floor	4.5	6.3	7.6	7.3
2	SPB 1 st Floor	1.8	1.6	2.1	1.5
3	SPB 2 nd Floor	8.2	8.9	9.6	7.2
4	EIRS 2 nd Floor	1.6	1.9	1.2	1.5
5	EIRS 1 st Floor	0.9	0.7	0.8	0.6
6	EIRS 3 rd Floor	2.6	2.2	2.1	1.8
7	SPB Laboratory	7.3	7.9	6.4	5.8
8	SPB 2 nd Floor	3.2	2.5	2.9	3.8


H. T. Shah
 Lab. Manager


Dr. Anuraj Rajpal
 Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
*****End of Report*****

- Recognized Lab under
Env. Protection Act-1986 (CPCB)
- Recognized Schedule 1
Env. Auditor (CPCB)
- ISO 9001:2015 Certified
Water Meter Calibration V2.3
- ISO 9001:2015 Certified

"Pollucon Measur", Plot No. 9 B B, Opp. Relph Industries, Sec. - Old Gandhinagar, BFA Mill Lane, Navjivan Circle, Ultra Mega City Road, Surati-392007, Gujarat, India.
 Phone: 0261-264730/31/32, Mo. 92166-88574, 76482-61736, WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, gurathore@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QF/7 & 20-DK

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED PLOT NO.:2702, GIDC, ANKLESHWAR - 393 002.	Test Report No. :	PL/APA/25/06/0003
	Issue Date :	20/06/2025
	Customer's Ref. :	PO. No. 0025413034
		Dated: 27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK		

SR. NO.	LOCATION	VOC In ppm
		13/06/2025
/SPB		
1	SPB Ground Floor (Packing Floor)	4.3
2	SPB Mezzanine Floor	7.6
3	SPB First Floor (Processing Floor)	4.5
4	SPB First Floor (SPB PQC Lab)	3.3
5	SPB Second Floor	5.8
6	RB Ground Floor (Packing Floor)	3.5
7	RB Mezzanine Floor (Filteration floor)	3.7
8	RB First Floor (BI/Processing floor)	3.3
9	RB Second Floor (REA Floor)	5.6
10	RB Second Floor (RB Lab)	2.7
11	RB Third Floor (Hopper Floor)	2.9

H. T. Shah
Lab. Manager

Dr. Anand Bhattal
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
End of Report

- Recognized Env. Lab under Env. Protection Act-1986 (PCB)
- Recognized Schedule II Env. Analyte (17°C)
- ISO 17025 Approved for Waterborne Coatings NLD
- ISO 9001 : 2015 : 43003

"Pollucon House", Plot No. S II B, Opp. Bina, Indraprastha Soc., Old Airport Road, Block III Lane, Narayan Circle, Udhna Margda Road, Surat-392007, Gujarat, India.
Phone : 0261-2623750/575 Fax: 2616653144, 2626111131, Web : www.polluconlab.com, Email : pollucon@gmail.com, quality@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
 GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

Q677 8/20-EX

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 676 000	Test Report No. : PL/AP/25/07/0019 Issue Date : 02/08/2025 Customer's Ref. : PO, No. 0015413035 Dated: 27/03/2025
--	---

VOC RESULT

Date of Sampling : As per table	Test parameters : VOC
Sampling Team Member : Pollucon Laboratories Pvt. Ltd.	Test Method : VOC Meter
Description of Instrument Used : VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK	

SR. NO.	LOCATION	VOC in ppm			
		02/07/2025	09/07/2025	14/07/2025	22/07/2025
1	[PB Ground Floor	4.7	5.6	6.8	5.0
2	[PB 1 st Floor	2.3	2.4	1.5	1.8
3	[PB 2 nd Floor	8.5	8.9	8.2	7.8
4	EIRS 2 nd Floor	1.8	1.6	1.1	1.1
5	EIRS 1 st Floor	0.6	0.5	0.6	0.9
6	EIRS 1 st Floor	2.5	2.1	2.3	1.5
7	SPB Laboratory	7.1	7.6	7.5	7.9
8	SPB 2 nd Floor	1.5	1.8	1.9	3.2


 H. T. Shah
 Lab. Manager


 Dr. Arun Rajpal
 Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
 End of Report

- Recognized Env. Lab under PMA (Pollution) Act-1986 (CPCB)
- Recognized as Lab. #11 EHS & HSE/17-PC/01
- ISO/IEC Approved for Wastewater Laboratories 122
- 1542 9001 / 10001 / 45001

"Pollucon House", Plot No. 1 & 2, Opp. Bala Industrial Soc., Old Bhambhai Bus Stand, Navivan Circle, Durga Margda Road, Surat-395007, Gujarat, India.
 Phone : 0261 2831766/1767, No. 70188 01774, 70482 01780, WEB : www.polluconlab.com, E-mail : pollucon@gnaf.com, queries@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD

TEST CERTIFICATE

QF/7.8/20-FX

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED PLOT NO.:2702, GIDC, ANKLESHWAR - 393 002.	Test Report No. : PL/APA/25/07/0004A.
	Issue Date : 28/07/2025
	Customer's Ref : PO Number: 0015433034, PO Date: 27.03.2025

VOC RESULT

Date of Sampling : As per table	Test Parameters : VOC
Sampling Team Member : Pollucon Laboratories Pvt. Ltd.	Test Method : VOC Meter
Description of Instrument Used : VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK	

SRL NO.	LOCATION**	VOC in ppm			
		02/07/2025	09/07/2025	14/07/2025	22/07/2025
1	SPB Ground Floor (Packing Floor)	5.4	3.6	4.3	4.8
2	SPB Mezzanine Floor	5.9	7.4	6.5	7.1
3	SPB First Floor (Processing Floor)	3.2	3.7	4.2	4.8
4	SPB First Floor (SPB PQC Lab)	3.0	3.2	2.7	2.5
5	SPB Second Floor	6.8	6.3	5.1	6.5
6	RB Ground Floor (Packing Floor)	2.2	2.5	2.9	1.8
7	RB Mezzanine Floor (Filtration Floor)	4.9	3.5	3.9	4.2
8	RB First Floor (BL/Processing Floor)	3.7	3.2	3.9	4.8
9	RB Second Floor (REA Floor)	6.8	6.2	6.2	5.9
10	RB Second Floor (RB Lab)	3.5	3.3	3.1	2.8
11	RB Third Floor (Hopper Floor)	4.2	4.8	4.5	5.1

** : Data provided by customer

H. T. Shah
Lab. Manager

Dr. Arun Bajpal
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

- Recognized Env. Lab under Env. (Protection) Act, 1986 (CPCRA)
- Recognized under Lab. Act 1986 (LAPCR)
- ISO 9001:2015 Certified
- ISO 14001:2015 Certified

"Pollucon House", Plot No. 5 & 6, Opp. Bharuch Industrial Zone, Old Bharuch Road, 111/112, Navjeevan Circle, Mahatma Nagar, Bharuch-393007, Gujarat, India.
Phone : 0261-2557330/331, Fax: 2616-20174, 26462-61799. Website: www.polluconlab.com | Email: pollucon@polluconlab.com, qc-center@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QF17.8/20-EX

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. :	PL/AP/25/08/0015
	Issue Date :	05/09/2025
	Customer's Ref. :	PO. No. 0015419035
	Dated:	27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck TIGER, Make: SON Science, UK		

SR. NO.	LOCATION	VOC in ppm			
		02/08/2025	12/08/2025	19/08/2025	27/08/2025
1	IPB Ground Floor	5.0	6.7	4.6	5.2
2	IPB 1 st Floor	2.4	2.8	2.8	2.7
3	IPB 2 nd Floor	8.6	7.9	7.8	8.4
4	EIRS 2 nd Floor	1.6	2.8	1.9	2.6
5	EIRS 1 st Floor	0.9	0.7	0.5	0.6
6	FIRS 3 rd Floor	2.2	2.5	2.1	2.5
7	SPB Laboratory	5.0	5.1	5.6	5.7
8	S-U 2 nd Floor	5.0	5.8	3.3	2.8


H. T. Shah
Lab. Manager


Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.
End of Report

- ISO 9001:2015 LAB under ENX (Protection) Act-1986 (CPCB)
- Recognized Schedule II Env. Auditor (SPLIB)
- ZOHIC Approved by Wastewater Guidelines 2.1
- ISO 14001:2015 - 0801

"Pollucon House", Plot No. S.S.6, Opp. (Bajaj) Industrial Soc., Old Shantivanth 333 Mill Lane, Rajpuram Circle, Ultra Mega Park Road, Saraf-393007, Gujarat, INDIA.
Phone : 0261-261760/53076, Fax: 70188 95174, 70482 41738, 2678 www.polluconlab.com, E-mail: pollucon@gmail.com, qm@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QF/7.8/23 PK

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED PLOT NO.:2702, GIDC, ANKLESHWAR - 393 002.	Test Report No. :	PL/APA/25/08/0009
	Issue Date :	01/09/2025
	Customer's Ref. :	PO Number: 8015413036, PO Date: 27.03.2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck TDBER, Make: ION Science, UK		

SR. NO.	LOCATION**	VOC in ppm			
		07/08/2025	12/08/2025	19/08/2025	27/08/2025
1	SPB Ground Floor (Packing Floor)	5.8	4.7	5.3	5.2
2	SPB Mezzanine Floor	4.1	4.8	3.3	2.8
3	SPB First Floor (Processing Floor)	4.6	3.9	5.5	5.8
4	SPB First Floor (SPB PQC Lab)	3.6	3.5	2.6	2.8
5	SPB Second Floor	3.7	4.5	5.3	3.5
6	RB Ground Floor (Packing Floor)	2.9	1.8	1.8	2.2
7	RB Mezzanine Floor (Packing Floor)	6.2	5.9	3.2	4.8
8	RB First Floor (BL/Processing Floor)	6.5	4.5	6.4	3.7
9	RB Second Floor (RBA Floor)	7.1	6.8	4	2.9
10	RB Second Floor (RB Lab)	3.9	7.8	5.8	7.6
11	RB Third Floor (Hopper Floor)	3.3	5.8	3.4	5.4

** Data is provided by customer.

H. T. Shah
Lab. Manager

Dr. Arun Rajani
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

• Recognized Lab. Lab under Env. (Protection) Act-1986 (CPCB)
• Recognized Schedule II Lab. Auditor (CPCB)
• ISO 9001:2015 Approved by Warrington Certification
• ISO 9001:2015 10001-40001

"Pollucon House" Plot No. 3 A K, Opp. Sarda Industrial Zone, Old Bhadranth Sth Bh Laxm. Nigajan Circle, Vidya Nagar Road, Bavn-393007, Gujarat, India.
 Phone : (854) 200220/21/15, M. 70996 02174, 70452 01750, WEB : www.polluconlab.com, Email : pollucon@gmail.com, queries@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



TEST CERTIFICATE

QP/7.0/23-EX

Customer's Name and Address :


Page: 1 of 1

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TFL NO. (02646) 678 308	Test Report No. :	PL/AP/25/09/0022
	Issue Date :	07/10/2025
	Customer's Ref. :	PG. No. 0015413035
		Dated: 27/03/2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Qualification of Instrument Used :	VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK		

SR. NO.	LOCATION	VOC in ppm			
		02/09/2025	09/09/2025	19/09/2025	27/09/2025
1	IPB Ground Floor	4.7	4.9	5.8	5.1
2	IPB 1 st Floor	3.8	3.1	3.1	3.5
3	IPB 2 nd Floor	6.9	6.5	5.8	5.9


H. T. Shah
Lab. Manager


Dr. Arun Bajpai
Lab Manager (Q)

Note: This result is subject to terms & conditions mentioned overleaf.
End of Report

- Recognized Env. Lab under Env. Protection Act (1986/ CPCRI)
- Recognized by state II Env. Auditor (G.P.I.B)
- ZUHC Approved for Water and Soil (ppm/22)
- ISO 9001:2015

"Pollucon House", Plot No. 3 A E, Opp. Rajal Industrial Rec., Old B-Unit next to BIL (B) area, Mangjan Circle, Unnao Margdale Road, Surat-393002, Gujarat, India.
Phone : 0261-263780/5795. Fax: 32966 8874, 76462 81798. WEB : www.polluconlab.com. Email : pollucon@gmail.com, quality@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE

QF/7.8/20-EX

Customer's Name and Address :

Page: 1 of 1

M/S. ASIAN PAINTS LIMITED PLOT NO.:2702, GIDC, ANKLESHWAR – 393 002.	Test Report No. :	PL/APA/25/09/0005
	Issue Date :	07/10/2025
	Customer's Ref. :	PO Number: 0015413034, PO Date: 27.03.2025

VOC RESULT

Date of Sampling :	As per table	Test parameters :	VOC
Sampling Team Member :	Pollucon Laboratories Pvt. Ltd.	Test Method :	VOC Meter
Description of Instrument Used :	VOC Meter, Model: Photocheck TIGER, Make: ION Science, UK		

SR. NO.	LOCATION**	VOC in ppm			
		02/09/2025	09/09/2025	19/09/2025	27/09/2025
1	EBG	5.1	4.8	8.2	6.5
2	RBG	2.5	4.3	2.7	4.3
3	WBG	4.5	4.1	8.8	6.6
4	SBG	4.6	3.7	4.5	8.3
5	EB- Ground Floor Filtration & Packing	7.3	6.9	5.7	8.6
6	EB - First Floor Reactor	7.1	3.1	8.7	7.5
7	EB- Second Floor -Pet	5.1	3.5	6.8	8.4
8	EB- Third Floor Batching Station	5.8	5.4	5.2	2.7
9	RB - Ground Floor Filtration & Packing	6.7	5.5	3.6	6.4
10	RB- First Floor Blender	2.8	4.9	7.3	7.1
11	RB- Second Floor Reactor	7.5	8.1	4.1	7.7
12	RB - Third Floor Hopper Charging & BT	3.1	6.2	7.8	2.9
13	SB- Ground Floor Packing	4.9	4.6	6.6	2.5
14	SB- Mezzanine Floor	5.2	3.3	5.1	6.1
15	SB- First Floor Processing	5.1	4.9	4.4	5.9
16	SB- Second Floor Pre Processing	5.9	4.3	5.8	7.6
17	SB- Third Floor Batching Station	8.2	3.0	3.8	2.7
18	WB- Ground Floor Packing	7.4	3.2	8.8	3.4
19	WB- Mezzanine Floor Hopper	4.1	7.6	6.3	6.1
20	WB- First Floor Processing	4.2	6.6	3.5	6.8
21	WB- Second Floor Pre Processing	3.7	3.4	3.5	7.3
22	WB- Third Floor Batching Station	8.5	6.3	8.7	7.2
23	SB PQC Lab	7.1	7.0	4.7	6.4
24	WB PQC Lab	2.7	8.1	3.3	4.8
25	EB PQC Lab	5.7	6.5	8.1	4.2
26	RB PQC Lab	6.2	6.8	3.5	8.5

** : Details provided by customer.

H. T. Shah
Lab. Manager

Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

● Recognised Env. Lab under
Env. (Protection) Act-1986 (CPCB)

● Recognised Schedule II
Env. Auditor (GPCB)

● ZDHC Approved for
Wastewater Guidelines V2.2

● ISO 9001 / 14001 / 45001

"Pollucon House", Plot No. 5 & 6, Opp. Bataji Industrial Soc., Old Shantinath Silk Mill Lane, Navjivan Circle, Udhna Magdalla Road, Surat-395007, Gujarat, India.
Phone : 0261-2635750/5175, Mo. 70166 05174, 70482 61750, WEB : www.polluconlab.com, E-mail : pollucon@gmail.com, quotation@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure I

Ambient Air Quality Monitoring report



TEST REPORT FOR AMBIENT AIR QUALITY MONITORING

Customer's Name and Address: **M/S. ASIAN PAINTS LIMITED**
2602, GIDC, INDUSTRIAL ESTATE,
ANKLESHWAR - 393 002
TEL NO. (02646) 678 000

Test Report No.: **PL/AP/25/04/0020**
Issue Date: **02/05/2025**
Customer's Ref.: **PO. No. 0015413035**
Dated: **27/03/2025**

Location of Sampling: **New Ware House**
Date of Sampling: **As per table**
Sampling By: **Pollucan Laboratories Pvt. Ltd.**
Sampling Duration: **24 Hrs.**

Sampling Procedure: **As per table**
Protocol (Purpose): **Ambient Air Quality Monitoring**
Lab ID: **As per table**

QR/7.6/20 AQ
Page: 1 of 1

RESULT TABLE

TEST PARAMETER	UNIT	DATE OF SAMPLING										LIMIT*	TEST/ SAMPLING METHOD
		01/04/2025	04/04/2025	08/04/2025	11/04/2025	15/04/2025	18/04/2025	22/04/2025	25/04/2025	29/04/2025			
Lab ID ASA/2504(A-M)		01	14	18	20	30	14	43	51	55			
Respirable Particulate Matter (PM ₁₀)	µg/m ³	79.44	69.78	51.73	75.05	84.33	90.34	80.63	92.52	63.76	100	IS 5102 (Part-2)	
Particulate Matter (PM _{2.5})	µg/m ³	44.12	35.33	53.53	37.70	45.24	52.41	46.32	50.36	47.53	80	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Sulphur Dioxide as SO ₂	µg/m ³	21.43	17.64	22.60	26.37	24.65	30.96	15.38	25.46	19.63	80	IS 5102 (Part-2)	
Oxides of Nitrogen as NO _x	µg/m ³	26.56	31.48	30.46	42.44	39.37	34.44	25.83	37.65	31.45	90	IS 5102 (Part-6)	
Ozone (O ₃)	µg/m ³	49.61	23.64	31.58	23.67	25.46	28.39	24.34	30.66	27.67	180	IS 5102 (Part-9)	
Carbon Monoxide as CO	mg/m ³	0.91	0.97	0.71	0.93	0.86	0.98	1.81	0.95	0.87	04	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Ammonia as NH ₃	µg/m ³	25.92	32.31	19.18	34.46	30.00	26.60	21.04	24.56	29.48	400	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Benzene as C ₆ H ₆	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	05	IS 5102 (Part-12)	
Benzene (a) Pyrene (BaP)- Particulate Phase Only	ng/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Arsenic as As	ng/m ³	ND*	ND*	2.56	ND*	ND*	2.36	ND*	2.43	ND*	09	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Nickel as Ni	ng/m ³	ND*	ND*	10.48	ND*	ND*	10.63	ND*	10.36	ND*	20	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Lead as Pb	µg/m ³	ND*	ND*	0.61	ND*	ND*	0.66	ND*	0.77	ND*	01	CPC Guidelines for AQM (Vol. 1) (NAGMS/2021/2-13)	
Hydrocarbon as HC	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	Digital Gas Analyser	
Hydrochloric Acid as HCl	µg/m ³	24.33	21.15	25.63	29.65	26.43	22.68	18.21	29.66	23.04	45*	50* HC1 - 01	
Chloride	µg/m ³	21.16	17.48	22.65	26.35	24.96	20.24	ND*	25.68	18.64	NS*	IS 5102 (Part-19)	
Hydrogen Sulphide as H ₂ S	µg/m ³	ND*	ND*	6.41	ND*	ND*	ND*	ND*	ND*	ND*	NS*	IS 5102 (Part-7)	

Note: Limit* as per Industrial, Institutional, Rural and other Area Notification Dated 18th Nov 2009 as per national Ambient Air Quality Standards, CPCQ Norms
S: 60 min (5) sampling duration; n: run and sample Analyzed on same Day; Carbon Monoxide (CO): Sampling 1 Hr.
ND*: Not Detected; Detection Limit, Benzene (a) Pyrene (BaP)- particulate phase only: 0.5 ng/m³; Benzene as C₆H₆: 1.0 µg/m³; Hydrocarbon as HC (50 µg/m³;
Hydrogen Sulphide as H₂S: 6.0 µg/m³; Arsenic: 2 µg/m³; Chloride: 15.0 µg/m³; Lead as Pb: 0.1 µg/m³; Nickel: 5 µg/m³.

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

- Accredited (No. 1) ISO 9001:2015 (CPCB)
- Recognized Schedule II Gov. Auditor (CPCB)
- ISO 14001:2015 (CPCB)
- ISO 45001:2018 (CPCB)

Pollucan (I) Pvt. Ltd., Plot No. 2 & 5, Opp. Datta Industrial Est., Old Chhatrabhai Bldg Area, Rajajoga Circle, Vidya Vihar Road, Surat 392007, Gujarat, India.
Phone: 0221-263256/175, No. 9196 65174, 70482 91700, 96766 | www.pollucanlab.com, E-mail: pollucan@gmail.com, qpr@pollucanlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



POLLUCON LABORATORIES PVT. LTD.

TEST REPORT FOR AMBIENT AIR QUALITY MONITORING

Q5/7.0/20-AD
Page 1 of 3

Customer's Name and Address :

M/S. ASIAN PAINTS LIMITED
2602, GIDC, INDUSTRIAL ESTATE,
ANKLESHWAR - 393 002
TEL NO. (02646) 676 000

Test Report No. : **PL/AP/25/04/0021**
Issue Date : **02/05/2025**
Customer's Ref : **PO. No. 0015-413035**
Dated: **27/03/2025**

Location of Sampling : **ETP**
Date of Sampling : **As per table** Sampling Procedure : **As per table**
Sampling By : **Pollucon Laboratories Pvt. Ltd.** Protocol (Purpose) : **Ambient Air Quality Monitoring**
Sampling Duration : **24 Hrs.** Lab Id : **As per table**

RESULT TABLE

TEST PARAMETER	UNIT	DATE OF SAMPLING									LIMIT*	TEST/ SAMPLING METHOD
		01/04 /2025	04/04 /2025	08/04 /2025	11/04 /2025	15/04 /2025	18/04 /2025	23/04 /2025	25/04 /2025	28/04 /2025		
Lab ID ASA/2504 (A-M)		02	15	19	27	31	35	44	52	56		
Respirable Particulate Matter (PM ₁₀)	µg/m ³	74.16	63.33	86.37	73.58	64.18	83.22	76.64	84.63	68.67	100	IS 5182 (Part 2)
Particulate Matter (PM _{2.5})	µg/m ³	38.87	29.37	45.37	40.29	33.43	47.74	41.53	46.85	34.53	60	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Sulphur Dioxide as SO ₂	µg/m ³	12.32	15.42	13.13	17.55	21.98	14.51	18.59	22.27	16.35	10	IS 5182 (Part-2)
Oxides of Nitrogen as NO _x	µg/m ³	77.57	28.36	26.38	36.44	33.45	31.27	29.57	34.30	27.43	80	IS 5182 (Part-6)
Ozone (O ₃)	µg/m ³	16.30	19.13	28.42	18.30	30.62	24.42	21.52	25.96	23.17	180	IS 5182 (Part 9)
Carbon Monoxide as CO	mg/m ³	0.59	0.61	0.21	0.74	0.80	0.49	0.88	0.73	0.42	104	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Ammonia as NH ₃	µg/m ³	23.34	20.52	18.14	21.42	25.56	19.42	17.61	21.48	26.82	400	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Benzene as C ₆ H ₆	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	03	IS 5182 (Part-11)
Benz(a) Pyrene (BaP)- Particulate Phase Only	ng/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Arsenic as As	ng/m ³	ND*	ND*	2.22	ND*	ND*	2.13	ND*	2.35	ND*	16	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Nickel as Ni	ng/m ³	ND*	ND*	10.23	ND*	ND*	10.35	ND*	10.27	ND*	20	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Lead as Pb	µg/m ³	ND*	ND*	0.51	ND*	ND*	0.56	ND*	0.64	ND*	01	CPC Guidelines for AQM (Vol. 1, N/AQMS/05/2012-15)
Hydrocarbon as HC	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	Digital Gas Analyser
Hydrochloric Acid as HCl	µg/m ³	16.13	20.15	16.11	21.34	25.07	17.72	22.03	26.20	19.22	NS*	SOP-ACI-01
Oxofine	µg/m ³	ND*	16.62	ND*	17.55	21.54	ND*	18.16	22.86	15.37	NS*	IS 5182 (Part 19)
Hydrogen Sulphide as H ₂ S	µg/m ³	ND*	ND*	8.66	ND*	6.55	ND*	ND*	ND*	ND*	40*	IS 5182 (Part-7)

ND*: Not Detected, Detection Limit, based on Pyrene (BaP)- particulate phase only: 0.3 ng/m³; Benzene as C₆H₆: 1.0 µg/m³; Hydrocarbon as HC: 50 µg/m³; Hydrogen Sulphide as H₂S: 6.0 µg/m³; Arsenic: 2 µg/m³; Oxofine: 18.0 µg/m³; Lead as Pb: 0.1 µg/m³; Nickel: 0.1 µg/m³.

Ravi Jarjwala
Sr. Environmental Scientist

Dr. Arun Rajpal
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned aforesaid.

End of Report

• Recognized Env. Lab under
Env. Protection Act-1986 (CPCB)

• Recognized Institute of
Env. Auditor (IAPCB)

• ISO 9001:2015 Approved for
Wastewater Guidelines V.2.2

• 1662 9022 / 14881 / 43181

Pollucon House, Plot No. 2 & 3, Opp. Dabur Industrial Soc., Old Ghantghati Stn. MB Lane, Nanjvan Circle, Dahana Nagda Rd., Surat-393007, Gujarat, India.
Phone : 9881-263975/9175, No. 70100 60174, 70482 61750, WEB : www.polluconlab.com, E-mail : pollucon@gmail.com, qac@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



TEST REPORT FOR AMBIENT AIR QUALITY MONITORING

Q5/7.8/20-AQ
Page: 1 of 1

Customer's Name and Address :

M/S. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. : PL/AP/25/04/0022 Issue Date : 02/05/2025 Customer's Ref. : PO. No. 0015413035 Dated: 27/03/2025
---	---

Location of Sampling : Canteen	Sampling Procedure : As per table
Date of Sampling : As per table	Protocol (Purpose) : Ambient Air Quality Monitoring
Sampling By : Pollucon Laboratories Pvt. Ltd.	Lab Id : As per table
Sampling Duration : 24 Hrs.	

RESULT TABLE

TEST PARAMETER	UNIT	DATE OF SAMPLING										LIMIT*	TEST/ SAMPLING METHOD	
		01/04 /2025	04/04 /2025	08/04 /2025	11/04 /2025	15/04 /2025	18/04 /2025	22/04 /2025	25/04 /2025	29/04 /2025	03/05 /2025			
Lab ID ASA/2504 [A-H]		03	15	20	28	32	36	45	53	57				
Respirable Particulate Matter (PM ₁₀)	µg/m ³	60.67	51.47	64.39	69.35	58.37	79.28	65.63	74.65	63.65	100	IS 5182 (Part-23)		
Particulate Matter (PM _{2.5})	µg/m ³	34.40	27.83	31.38	34.66	25.66	45.02	32.54	40.62	30.45	50	CPCB Guidelines for AQM (Vol. 2, MAQPS/2012/23)		
Sulphur Dioxide as SO ₂	µg/m ³	18.28	14.31	8.49	13.63	16.21	11.65	9.50	17.49	10.64	80	IS 5182 (Part-9)		
Oxides of Nitrogen as NO _x	µg/m ³	19.53	21.63	24.32	27.66	29.40	17.14	15.70	30.43	16.72	80	IS 5182 (Part-6)		
Ozone (O ₃)	µg/m ³	21.26	27.27	24.54	20.29	11.53	14.43	19.66	17.32	15.53	180	IS 5182 (Part-8)		
Carbon Monoxide as CO	mg/m ³	0.39	0.68	0.85	0.93	0.71	0.47	0.65	0.16	0.26	04	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Ammonia as NH ₃	µg/m ³	18.45	25.46	13.23	17.30	14.85	12.26	15.88	24.64	19.66	480	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Benzene as C ₆ H ₆	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	85	IS 5182 (Part-11)		
Benz[a] Pyrene (BaP)- Particulate Phase Only	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Aroclor as Aro	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	06	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Nickel as Ni	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	20	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Lead as Pb	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	CPCB Guidelines for AQM (Vol. 1, MAQPS/2012/10)		
Hydrocarbon as HC	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	Digital Gas Analyzer		
Hydrochloric Acid as HCl	µg/m ³	71.46	18.13	12.06	16.86	18.57	15.63	11.52	20.92	14.57	NS*	SCPHC - 01		
Chlorine	µg/m ³	16.44	ND*	ND*	ND*	15.51	ND*	ND*	12.72	ND*	NS*	IS 5182 (Part-15)		
Hydrogen Sulphide as H ₂ S	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	IS 5182 (Part-7)		

Note: Limit is per Industrial, Residential, Rural and other Area Application based IS:107 (rev.2009) as per national Ambient Air Quality Standards, CPCB New Delhi.
S: Drawn (D) sampling duration; L:ms and sample volume (M) in litres; C: Carbon Monoxide (CO); Sampling 1-02.
ND*: Not Detected; Detection Limit: Benzene (BaP)- particulate phase only - 0.5 ng/m³; Benzene (C₆H₆) - 2.0 µg/m³; Hydrocarbon as HC: 150 µg/m³; Hydrogen Sulphide as H₂S: 6.0 µg/m³; Ammonia - 2 µg/m³; Chlorine: 15 µg/m³; Lead as Pb: 0.1 µg/m³; Nickel: 5.2 µg/m³.

Ravi Jariwala
Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Rajpal
Dr. Arun Rajpal
Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

- Recognized Env. Lab. under Gov. (Practical) Act-1986 (CPCB)
- Recognized Station II Gov. Author (GDP) B)
- ZSIW Approved for Wast. water Guidelines V2.2
- ISO 9001:2001-2008

Pollucon House[®], Plot No. 5 & 6, Opp. Beldi Industrial Soc., Old Bharuch Rd NH 48 Lane, Nav, And Circle, Ultra Magdalla Road, Suraj-393007, Gujarat, India.
Phone : 0261-263750/51/75, Mo. 79188 05174, 70482 89760, 9028 | www.polluconlab.com, E-mail : pollucon@gmail.com, quotation@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



TEST REPORT FOR AMBIENT AIR QUALITY MONITORING

Customer's Name and Address: **M/S. ASIAN PAINTS LIMITED
2602, GIDC, INDUSTRIAL ESTATE,
ANKLESHWAR - 393 002
TEL NO. (02646) 678 000**

Test Report No. : **PL/AP/25/04/0023**
Issue Date : **02/05/2025**
Customer's Ref : **PO. No. 0015413035**
Dated: **27/03/2025**

Location of Sampling : **Admin Building**
Date of Sampling : **As per table**
Sampling By : **Pollucon Laboratories Pvt. Ltd.**
Sampling Duration : **24 Hrs.**
Sampling Procedure : **As per table**
Protocol (Purpose) : **Ambient Air Quality Monitoring**
Lab Id : **As per table**

QF/7.020-AQ
Page: 1 of 3

TEST PARAMETER	UNIT	DATE OF SAMPLING										LIMIT*	TEST/ SAMPLING METHOD
		01/04 /2025	04/04 /2025	08/04 /2025	11/04 /2025	15/04 /2025	18/04 /2025	22/04 /2025	25/04 /2025	29/04 /2025	30/04 /2025		
Lab ID: 45A/2504 [A-M]		04	17	21	25	31	37	40	54	58			
Respirable Particulate Matter (PM ₁₀)	µg/m ³	65.62	55.63	74.34	55.01	72.55	64.48	73.03	66.57	80.47	100	IS 5182 (Part-23)	
Particulate Matter (PM _{2.5})	µg/m ³	31.54	28.67	35.87	25.67	30.53	30.83	34.33	37.58	43.41	60	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Sulphur Dioxide as SO ₂	µg/m ³	6.27	10.33	15.47	11.35	29.42	17.29	13.56	16.19	12.54	60	IS 5182 (Part-2)	
Oxides of Nitrogen as NO _x	µg/m ³	17.63	13.36	20.41	22.36	27.86	24.35	19.51	26.34	23.42	80	IS 5182 (Part-6)	
Ozone (O ₃)	µg/m ³	18.45	24.66	17.51	14.63	23.85	19.51	12.68	20.34	13.73	180	IS 5182 (Part-2)	
Carbon Monoxide as CO	mg/m ³	0.64	0.56	0.45	0.70	0.57	0.34	0.53	0.58	0.71	04	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Ammonia as NH ₃	µg/m ³	18.88	28.65	12.97	15.47	19.57	17.86	13.67	16.38	20.14	900	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Benzene as C ₆ H ₆	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	05	IS 5182 (Part-11)	
Benzo (a) Pyrene (BaP)- Particulate Phase Only	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Arsenic as As	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	06	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Nickel as Ni	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	20	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Lead as Pb	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	01	OCB Guidelines for AQM (Vol. I, N/AQMS/20/2012-13)	
Hydrocarbon as HC	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	Digital Gas Analyzer	
Hydrochloric Acid as HCl	µg/m ³	11.33	13.93	19.42	15.66	22.42	20.53	17.16	23.45	16.23	NS*	SOP HCl - 01	
Chlorine	µg/m ³	ND*	ND*	ND*	ND*	10.24	16.87	ND*	15.34	ND*	NS*	IS 5182 (Part-19)	
Hydrogen Sulphide as H ₂ S	µg/m ³	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	ND*	NS*	IS 5182 (Part-7)	

Note: Limit as per Industrial, Residential, Rural and other Area Application (IS:5182) for Non-OCB as per ambient air quality standard as per IS:5182-13, IS:5182-15, IS:5182-16, IS:5182-17, IS:5182-18 and sample analyzed on same Day. Carbon Monoxide (CO): Sampling 2 Hrs. ND*: Not Detected, Reduction Limit, Benzene (C₆H₆), Particulate phase only: 10 µg/m³, Benzene as O₃: 2.0 µg/m³, Hydrocarbon as HC: 1.0 µg/m³, Hydrogen Sulphide as H₂S: 0.5 µg/m³, Ammonia: 1 µg/m³, Chlorine: 15 µg/m³, Lead as Pb: 0.1 µg/m³, Nickel: 5.0 µg/m³

Ravi Jain

Sr. Environmental Scientist

Dr. Arun Bajpai

Lab Manager (Q)

Note: This report is subject to terms & conditions mentioned overleaf.

End of Report

- Prepared by: **Dr. Ravi Jain**, Puro. (Protection) Act-1986 (CPCB)
- Reviewed by: **Dr. Arun Bajpai**, Puro. A. Officer (CPCB)
- QC Approved by: **Dr. Arun Bajpai**, Puro. A. Officer (CPCB)
- QC Approved by: **Dr. Arun Bajpai**, Puro. A. Officer (CPCB)

"Pollucon House", Plot No. 5 & 6, Opp. Balaji Industrial Soc., DM Bhadrabhai Sahi Mill Lane, Navjeevan Circle, Udhna Magdalla Road, Surat-392007, Gujarat, India.
Phone : 0261-2635758/9/10. No. 70100 05174, 70452 61750, WEB : www.polluconlab.com, E-mail : pollucon@gmail.com, enquiry@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure J

TSDF membership certificate

Membership Certificate

Bharuch Enviro Infrastructure Limited (BEIL) – Common Incineration Facility



BHARUCH ENVIRO INFRASTRUCTURE LIMITED

October 31, 2025

M/s. Asian Paints Ltd. (Paint Div.)
Plot No. 2602,
GIDC, Ankleshwar.

Sub : Membership Certificate for Common Incineration Facility.

Dear Sir,

We hereby certify that you have become member for the common incineration facility of Bharuch Enviro Infrastructure Ltd. at GIDC, Ankleshwar. You have booked quantity of 156 MT/Year. Your Membership No. is CI/Ank.033.

Thanking you

Yours faithfully,
For BHARUCH ENVIRO INFRASTRUCTURE LTD.


AUTHORISED SIGNATORY



Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Membership Certificate

Bharuch Enviro Infrastructure Limited (BEIL) – Common Solid Waste Disposal



BHARUCH ENVIRO INFRASTRUCTURE LIMITED

October 31, 2005

M/s. Asian Paints Ltd. (Paint Div.)
Plot No. 2602,
GIDC, Ankleshwar.

Sub : Membership Certificate for Common Solid Waste Disposal Facility.

Dear Sir,

We hereby certify that you have become member for the common Solid/Hazardous waste disposal facility of Bharuch Enviro Infrastructure Ltd., at GIDC, Ankleshwar. You have booked solid waste quantity of 500 MT/year. Your Membership No. is Ank./092.

Thanking you,

Yours faithfully,
For BHARUCH ENVIRO INFRASTRUCTURE LTD.


—AUTHORISED SIGNATORY



Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure K

Manifest copies for haz waste disposal



BEIL INFRASTRUCTURE LIMITED [14983]

Manifest No:
2908664
26/04/2025

Copy 1

To be forwarded by the occupier to the State Pollution Control Board or Committee.

Sender's Details			
Sender Name	Asian Paints Ltd. [14983]		
Address	Tasika GIDC District:ANK Pin no:393002		
Contact Details	932070001	GPS Coordinates	Lat:21.02151350186 Lon:73.020039117128
Guardian Detail			
Receiver's Details			
State	Gujarat	Type of Facility	Common TPOF
Receiver Details	BEIL INFRASTRUCTURE LIMITED [14983]		
Contact Details	932070001	GPS Coordinates	Lat:21.016265500533078 Lon:73.01692907902906
Address	--- 9401-0412,9501-9506,7905 E to H, GIDC,Ankleshwar,--- Taluka:ANK District:ANK Pin no:393002		
Waste Details			
Waste Details	In Tanks: SOLVENTS, sludge, fuel, waste, water, batteries		
Waste Intended for	Landfill	Total Qty	12.000MT
		Consistency	Solid
Transporter Details			
Name	PURVA ENTERPRISE	Contact Details	9898580351 purvaenterprise@gmail.com
Address	25, Anandpur Ind Estate, Ankleshwar District:Ankleshwar Taluka:Ankleshwar		
Vehicle Details			
Vehicle no	GJ16C1841 (REG No: 05002308022707)	GPS Enabled	Yes
Driver name	MANISH SHAH	Driver Contact No	9271406790
Type of Vehicle	Truck		
Waste Transportation Details			
Vehicle Depart	26/04/2025 2:00PM	Trip Start	26/04/2025 1:00PM
No of Drums	0	Loose Waste	12.000
Remarks	ETP Sludge	No of bags	0
Sender's Declaration:			
<p>[1] The above contents of hazardous/ other wastes consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked and labeled, and are in all respects in proper conditions for its transport from the mentioned location to common facility or repair facility or actual user by way of road transportation in accordance with the applicable central as well as state government regulations.</p> <p>[2] I have obtained membership of common facility, entered into agreement with actual user for disposal/ actual user of hazardous waste having authorization under Rule-2.</p> <p>[3] I do hereby declare that no part of manifest is false and nothing has been concealed. If any information proves to be false or concealed, I will be held responsible for the consequences under HWWM Rules, 2016 and amendments thereto.</p>			
Name and stamp of sender:		Date: 26/4/25	Signature:
Transporter's Acknowledgement/ Receipt of waste		Date: 26/4/25	Signature: Manish
<p>Receiver's Certification of Receipt of Hazardous waste</p> <p>I, hereby declare that the said waste is received at the facility/unit for which I have valid CGA (under Rule-2 in case of recycling) for its disposal/ utilization. I also declare this information to be true taking which I will be held responsible for the consequences under HWWM Rules, 2016 and amendments thereto. I hereby, accept/ reject the manifest.</p>			
Stamp:	Date:	Signature:	

By scanning QR code, copy of transporter will be digital. (All copy has same QR code)

Printed by 14917 on 26/04/2025 09:49:35 PM File: 7636-0813-467-0544-07201117418 Page 1 of 1

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



**BEL INFRASTRUCTURE
LIMITED (14983)**

**Manifest No:
2915281
02/05/2025**

Copy 1

To be furnished by / To be forwarded by the occupier to the State Pollution Control Board or
Committee

Sender's Details					
Sender Name	Asian Paints Ltd. (14937)				
Address	, Tankla ANK Dist:ANK Pin no.203002				
Contact Details	9605270902 malay.manikod@asianpaints.com	GPS Coordinates	Lat: 21.621513501961405 Long: 72.025016142408		
Guardian Detail	...				
Receiver's Details					
State	Gujarat	Type of Facility	Common TSP		
Facility Details	BEL INFRASTRUCTURE LIMITED (11111)				
Contact Details	813949994 - Sahasrabhambhai@bhel.com	GPS Coordinates	Lat: 21.61626093533974 Long: 72.04852404502006		
Address	--- 5401 4412 1501 4546, Patis Bho M, GIDC, Ankleshwar, --- Tankla, ANK Dist: ANK Pin no. 393002				
Waste Details					
Waste Details	I-35-353-Chemical sludge from waste management				
Waste Intended for	Landfill	Total Qty	12.670MT	Consistency	Solid
Transporter Details					
Name	PURVA ENTERPRISES	Contact Details	9222272165 purvatransport31@gmail.com		
Address	29, Swagatan Road, Tankla District, Ankleshwar Tankla (Ankleshwar)				
Vehicle Details					
Vehicle no	GJ06M741 (H1) No: J59137804542245	GPS Enabled	Yes	Type of Vehicle	Truck
Driver name	VIRAG	Driver Contact No	9027760377		
Waste Transportation Details					
Vehicle Depart.	02/05/2025 11:06AM	Tris Start	02/05/2025 11:15AM	No of Drums	0
Remarks	ETP SLUDGE	No of bags	0		
Sender's Declaration :					
(1) The above contents of hazardous or other wastes management are fully and accurately described above by proper shipping name and are categorical, packing, marked and labeled, and are in all respects in proper conditions for its transport from the mentioned location to common facility or captive facility or acceptor user by way of road/ transportation in accordance with the applicable central as well as state government regulations.					
(2) I have obtained membership certificate (if applicable) entered into agreement with actual user for disposal/ actual use of hazardous waste having authorization under ECR.					
(3) I do hereby verify that no part of manifest is false and nothing has been concealed. If any information proves to be false or concealed, I will be held responsible for the consequences under ECR/M Rules, 2016 and amendments thereof.					
Name and stamp of sender:		Date:	02.05.2025	Signature: <i>[Signature]</i>	
 PURVA ENTERPRISES, A-78 Ganesh Park Residency Tankla, Dist: ANK, Gujarat		Date:	02.05.2025	Signature: <i>[Signature]</i>	
Receiver's Certification of Receipt of Hazardous waste					
I, hereby declare that the said waste is received at the facility/unit for which I have valid ECR (under Rule-9 in case of recycling) for its disposal/ utilization, I also declare this information to be true and correct which I will be held responsible for the consequences under ECR/M Rules, 2016 and amendments thereof. I hereby accept/ reject the manifest.					

Stamp:

Date:

Signature:

By scanning QR code, copy of transporter will be display. (All copy has same information)

Print by: 4237 of 02/05/2025 03:16:15 PM

56747cbc-9946-45d3-a136-da85789a6d70

Page 1 of 1

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



**WEL INFRASTRUCTURE
LIMITED [14963]**

Manifest No: 2948473 03/06/2025	Copy 1
--	---------------

To be forwarded by the occupier to the State Pollution Control Board or
Committees.

Sender's Details			
Sender Name	Asian Paints Ltd. [14963]		
Address	Taluka :ANK District:ANK Pin no:393002		
Contact Details	9925270933 mailto:manikad@asianpaints.com	GPS Coordinator	Lat:21.62551156;Long:73.025331612189
Guardian Detail	...		
Receiver's Details			
Genba	Site No.	Type of Facility	Common TSU
Facility Details	WEL INFRASTRUCTURE LIMITED [14963]		
Contact Details	921041960 mailto:delvedhal@wel.co.in	GPS Coordinator	Lat:21.616209393;Long:73.0493407502906
Address	--- 9901-9412,9901-9506,9905 E to H, CHC, Ankleshwar, --- Taluka :ANK District:ANK Pin no:393002		
Waste Details			
Waste Details	[1-75-235 3-0]Chemical sludge from waste water treatment		
Waste Intended for	Landfill	Total Qty	17.200MT Consistency Solid
Transporter Details			
Name	PURVA ENTERPRISE		
Address	70 Gansubhai Resident, Sarda Park District :Ankleshwar Taluka :Ankleshwar		
Contact Details	9428012007 mailto:purvaenterprise71@gmail.com		
Vehicle Details			
Vehicle No	GJ18W1755 (PREV No:G001920444724)	GPS Enabled	Yes Type of Vehicle Truck
Driver Name	MDAS	Driver Contact No	9327763177
Waste Transportation Details			
Vehicle Depart	03/06/2025 1:35PM	Top Start	03/06/2025 12:57PM No of Drums 0 Loose Waste 22.200
Remarks	ETP SLUDGE		No of Bags 0
Sender's Declaration :			
<p>(1) The above contents of hazardous/ other wastes used, here are fully and accurately described above by proper shipping name and are categorized, packed, marked and labeled and in all respects in proper condition for its transport from aforementioned location by common facility or carrier by way of road/ transportation at accordance with the applicable central as well as state government regulations.</p> <p>(2) I have obtained membership of common facilities and our agreement with actual user for storage/ actual use of hazardous waste from the State Pollution Control Board.</p> <p>(3) I do hereby declare that no part of manifest is false and nothing has been concealed. If any information appears to be false or concealed, I will be held responsible under the provisions of the HWWM Rules, 2016 and amendments thereof.</p>			
Name and stamp of sender:		Date:	3/6/25
Signature:		[Signature]	
Transporter's Acknowledgement of Receipt of Waste			
Stamp: PURVA ENTERPRISE A-70, Gansubhai Resident,		Date:	3/6/25
Signature:		[Signature]	
Receiver's Declaration:			
I, hereby declare that the said waste is received at the facility/unit for which I have valid ICA (under Rule-9 in case of road/air) for its disposal/ utilization. I also declare this information to be true for which I will be held responsible for the consequences under HWWM Rules, 2016 and amendments thereof. I hereby accept the manifest.			

Stamp: _____ Date: _____ Signature: _____

By scanning QR code, copy of transporter will be display. (All copy has state information)

Printed by: 14963 @ 03/06/2025 18:54:17 PM

2948473-9905-9701-00017-7055675(990)

Page 1 of 1

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Annexure L

Haz waste coprocessing data

Haz waste disposal for the period of Apr'25 to Sep'25		
Month	Haz waste qty (in MT) disposed through coprocessing/Pre-processing	Coprocessing/Pre-processing disposal Site
Apr-25	15.71	J.K Cement Ltd, Mangrol, Rajasthan.
May-25	12.20	J.K Cement Ltd, Mangrol, Rajasthan.
Jun-25	9.17	J.K Cement Ltd, Mangrol, Rajasthan.
Jul-25	8.30	J.K Cement Ltd, Mangrol, Rajasthan.
Aug-25	19.41	J.K Cement Ltd, Mangrol, Rajasthan.
Sep-25	6.73	BEIL INFRASTRUCTURE LIMITED, Ankleshwar
	3.85	J.K Cement Ltd, Mangrol, Rajasthan.
Total	75.37	

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure M

MSIHC data

Sr. No.	Category	Criterion	Threshold Quantities (Tons)		Stock oh hand
			Lower	Higher	
1	Flammable Liquids	60 < F.P < 90	5000	50000	20.116
2	Highly Flammable liquids which remains liquid under pressure	23 < F.P <= 60	25	200	0
3	Highly Flammable Liquids	23 < F.P <= 60	2500	20000	795.417
4	Very highly flammable liquids	FP <= 23 , B.P > 35	1500	10000	261.709
5	Extremely flammable liquids	FP <= 23, B.P < 35	1000	5000	NA
6	Flammable Gases	LEL<=13% at 20Degree C and STP 101.3 Kpa	15	200	<41 kg
7	Toluene di-isocyanate (TDI)		10	100	0.000
8	Ammonia		60	600	5.681
9	Highly Flammable liquids as Per Schedule 3 Part 2 (GFR)		1000	5000	189.400
9	Acetylene (ethyne)		5	NA	0
10	Hydrogen		2	50	2 Cylinder of H2

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure N

List of fire extinguishers

BLOCK WISE LOCATION	NUMBER OF FIRE EXTINGUISHER
IPB	100
RMG-2	48
WPB	59
EIRS	35
RMG-3	38
BSR	37
SPB	92
RMG-1	40
RHPB	120
Other Scrap area	139
Admin	30
New Plot	62
Dispatch center	30
Sanitizers	37
Fire Stores	199
Total number of fire extinguishers	1066

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure O

Half Yearly Medical Report



Medical Examination Form

Demographic Information			
EMP ID	: 135465	SR NO:	194
Name	: Aneesh Kunjumon Charuvila	Date:	04/06/2025
Age/ Sex	: 25 YRS./MALE		
Department	: HR		
ID MARK	: MOLE ON RT HAND MIDDLE FINGER		
VITALS CHECKUP			
Blood Pressure: -	120/80 mm Hg	HEIGHT (IN CM): -	168
Heart Rate: -	70 Per min	Weight (IN KGS): -	77.1
Spo2: -	99 %	BMI VALUE: -	27.3 kg/m ²
PULSE: -	70 min Regular	BMI STATUS: -	OVERWEIGHT
HISTORY			
Current Health Complaints	NO		
Past History	NO		
Family History	DM-FATHER		
Allergies	NO		
Ongoing Medication	NO		
Vertigo, Epilepsy and Height Phobia	NAD		
Nasal Discharge & Nail Examination	N.A		
EYE TEST			
1. VISION			
A. NEAR VISION		B. DISTANCE VISION	
RIGHT EYE: -	N-6	RIGHT EYE: -	6\6
LEFT EYE: -	N-6	LEFT EYE: -	6\6
2. COLOR VISION			
RIGHT EYE: -	WNL		
LEFT EYE: -	WNL		
3. TORCH LIGHT EXAMINATION			
RIGHT EYE: -	NAD		
LEFT EYE: -	NAD		
Peripheral Vision Test: -	NAD		
REMARKS: -	-		
Revival Diagnostics Dr. Rahul D Pujara MBBS, CIH Medical Officer Regd. No. G-50107		DOCTOR'S SIGNATURE 	

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
0261 2747788, 9825947712 revivaldiagnostics.surat@gmail.com www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)




Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	05-Jun-2025 08:23 AM

CBC - 05062541 Released at 06-Jun-2025 05:05 PM

Parameter	Result	Biological Ref.Range	Method
-Haemoglobin	14.6 gm/dL	(13.5 - 18 gm/dL)	Auto
-RBC Count	5.05 mill/cumm	(4.6 - 6.2 mill/cumm)	Auto
-Total WBC Count	8800 /cumm	(4000 - 10000 /cumm)	Auto
-Platelet Count	3.09 lakh/cumm	(1.5 - 4.5 lakh/cumm)	Auto
Blood Indices			
-HCT	45.6 %	(40 - 55 %)	Auto
-MCV	90.3 fl	(80 - 92 fl)	Auto
-MCH	29.0 pg	(27 - 31 pg)	Auto
-MCHC	32.1 gm/dL	(32 - 36 gm/dL)	Auto
-RDW	13.2 %	(11 - 15 %)	Auto
Diff WBC Count			
-Polymorphs	66 %	(40 - 80 %)	Microscopically
-Lymphocytes	28 %	(20 - 40 %)	Microscopically
-Eosinophils	04 %	(1 - 6 %)	Microscopically
-Monocytes	02 %	(2 - 7 %)	Microscopically
-Basophils	00 %	(0 - 1 %)	Microscopically
-PLATELET ON SMEAR	Adequate		Microscopically
-MALARIAL PARASITES	Malarial Parasites Not Detected		Microscopically

[Test performed on Fully Automated Hematology Analyzer ERBA H-360]

Revival Diagnostics
401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947712


Dr. Shivangi Gandhi
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

REVIVAL
DIAGNOSTICS



Name	Aneesh Kunjumon Charavila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	05-Jun-2025 08:23 AM


RBS - 050625295 Released at 09-Jun-2025 11:06 AM

Parameter	Result	Biological Ref.Range	Method
-RBS	89 mg/dL	(70 - 140 mg/dL)	GOD - POP
-RANDOM URINE SUGAR	Absent		
-RANDOM URINE ACETONE	Absent		

HBA1C - 050625294 Released at 09-Jun-2025 11:09 AM

Parameter	Result	Biological Ref.Range	Method
-HBA1C	5.2 %	HbA1C Degree of Glucose Control <5.7 % Non Diabetics 5.7 - 6.4 % Prediabetics > =6.5 % Diabetics (REF:Wallace, 11th Edition) REMARKS: 6 - 7 % Excellent Control 7 - 8 % Good Control 8 - 10 % Unsatisfactory Control >10 % Poor Control	HPLC
-Mean Blood Glucose	103 mg/dL		Calculated
-Instrument	TRIVIRRON- NANO H5 (HPLC)		

Revival Diagnostics
401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947712


Dr. Shivangi Gandhi
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
0261 2747788, 9825947712 revivaldiagnostics.surat@gmail.com www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	05-Jun-2025 08:23 AM

Lipid Profile - 050625296 Released at 07-Jun-2025 04:31 PM

Parameter	Result	Biological Ref.Range	Method
-Serum Cholesterol	122 mg/dL	Desirable < 200 mg/dl Borderline High : 200-239 mg/dl High : > 240 mg/dl	CHOD-PAP
-Serum Triglyceride	80 mg/dL	Normal < 150 mg/dl Borderline High : 150 - 199 mg/dl High : 200 - 499 mg/dl Very High : 500 mg/dl	GPO-POD Method
-Serum HDL(Direct)	37 mg/dL	Normal :> 55 mg/dl Borderline : 35-55 mg/dl Undesirable: < 35 mg/dl	PVS-PEGME Precipitation with CHOD-POD
-Serum VLDL	16 mg/dL	(5 - 30 mg/dL)	Calculated
-Serum LDL	69 mg/dL	Optimal:< 100 mg/dl Above Optimal : 100- 129 mg/dl Borderline High : 130-159 mg/dl High : > 160-189mg/dl Very High : >190 mg/dl	Calculated
-Chol/HDL	3.30	Low risk: <3.8 Medium Risk: 3.8 to 5.9 High Risk: > 6	Calculated
-LDL/Chol	1.77	Low risk: <3.55 Medium Risk: 3.55 to 4.0 High Risk: > 6	Calculated

[Test performed on Fully Automated Biochemistry Analyzer ERBA EM200]

Revival Diagnostics

401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947712

Dr. Shivangi Gandhi
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)




Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection Date/Time	05-Jun-2025 08:23 AM

Total T3 T4 TSH - 050625296 Released at 08-Jun-2025 01:05 PM

Parameter	Result	Biological Ref.Range	Method
-Total T3	1.49 ng/ml	(0.87 - 1.78 ng/ml)	Fluorescence Enzyme Immunoassay
-Total T4	8.66 ug/dl	(4.6 - 11 ug/dl)	Fluorescence Enzyme Immunoassay
-TSH	1.63 uIU/ml	0.50 - 5.50 uIU/ml 5.5 to 15 ul U/ml - Suggested Clinical co-relation or Repeat test with new sample as physiological factors can give falsely high TSH Above 15uIU/ml Hypothyroid PREGNANT WOMEN normal ranges for TSH: 1st Trimester : 0.0878 - 2.8293 uIU/ml 2nd Trimester : 0.1998 - 2.7915 uIU/ml 3rd Trimester : 0.307 - 2.9028 uIU/ml Ref: TIETZ Fundamentals of Clinical Chemistry	Fluorescence Enzyme Immunoassay

[Test performed on Fully Automated Immunology Analyzer Maglumi-600]

Revival Diagnostics
401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947712


Dr. Shivangi Gandhi
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)



Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	05-Jun-2025 08:23 AM

Bilirubin - 050625296 Released at 07-Jun-2025 03:19 PM

Parameter	Result	Biological Ref.Range	Method
-Serum Total Bilirubin	0.4 mg/dL	(0 - 1.3 mg/dL)	DIAZO
-Serum Direct Bilirubin	0.2 mg/dL	(0 - 0.4 mg/dL)	DIAZO
-Serum InDirect Bilirubin	0.2 mg/dL	(0.1 - 1.3 mg/dL)	Calculated

SGPT - 050625296 Released at 07-Jun-2025 03:08 PM

Parameter	Result	Biological Ref.Range	Method
-SGPT(ALT)	14 U/L	(5 - 45 U/L)	IFCC, Kinetic Without Pyridoxal Phosphate

SGOT - 050625296 Released at 07-Jun-2025 03:54 PM

Parameter	Result	Biological Ref.Range	Method
-SGOT (AST)	15 U/L	(0 - 35 U/L)	IFCC, Kinetic Without Pyridoxal Phosphate

Creatinine - 050625296 Released at 07-Jun-2025 03:16 PM

Parameter	Result	Biological Ref.Range	Method
-Creatinine	0.8 mg/dL	(0.6 - 1.4 mg/dL)	ENZYMATIC

BUN - 050625296 Released at 07-Jun-2025 03:34 PM

Parameter	Result	Biological Ref.Range	Method
-Blood Urea Nitrogen (BUN)	8 mg/dL	(6 - 20 mg/dL)	Calculated

Revival Diagnostics

401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947717

Dr. Shivangi Gandhi
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pai, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

REVIVAL
DIAGNOSTICS




Name	Aneesh Kunjumon Charuvita	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	05-Jun-2025 08:23 AM

Urine Routine & Micro Examination - 050625297 Released at 05-Jun-2025 06:14 PM

Parameter	Result	Biological Ref.Range	Method
Physical Examination			
-Quantity	30		Manual
-Colour	Dark Yellow	Pale Yellow	Manual
-Appearance	Clear	Clear	Manual
-Reaction (pH)	Acidic		Dipstick
-Specific Gravity	1.030		Dipstick
Chemical Examination			
-Proteins.	Absent		Dipstick
-Sugar	Absent		Dipstick
-Acetone.	Absent		Dipstick
-Bile Salts	Absent	Absent	Dipstick
-Bile Pigments	Absent	Absent	Dipstick
-Occult Blood Test (OBT).	Negative		Dipstick
Microscopic Examination			
-Pus Cells	1-2/hpf.		Microscopically
-Red Blood Cells	Absent		Microscopically
-Epithelial Cells	Occasional		Microscopically
-Bacteria.	Absent		Microscopically
-Casts	Absent	Absent	Microscopic Examination
-Crystals	Absent	Absent	Microscopically
-Others	NIL	Absent	Microscopic Examination

Revival Diagnostics
401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009. Mo. 9825947712


Dr. Shivangi Gandhi:
M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis


4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
 GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

Acquired on: 2025-06-05_09:57

Patient info	Comments
Id: 194	
Name: aneesh charuvilla	
Age: 25	
Gender: Male	
Device ID: Dr.Cardi/252-9C4B	
	DR. ANITI PATEL
	M.B.B.S., D. CARDIO (MUM)
	CLINICAL CARDIOLOGIST
	REG.NG.G-42901
	Patient Sign
	Dr. Sign
	HR: 71/min
	R(0): 1.06mV
	RR: 834ms
	PR: 138ms
	QRS: 77ms
	QT: 362ms
	QTc: 394ms
	QT/QTc: 0.92
	Revival Diagnostic
	401, Aqua Corridor,
	B/s. Star Bazar, Surat-395009
	No. 31662-28501



X = 25mm/s Y = 10mm/mV 0 to 40 Hz Filter Simultaneous 4x3

To be Finally Confirmed by the doctor

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Aneesh Kunjumon Charuvila(AS194/02)

<http://100.168.0.220/ServiceCenter/Print.aspx?ID=1&Type=PrintRe...>

REVIVAL
DIAGNOSTICS




Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	04-Jun-2025 06:55 PM

ECG

1. The rhythm is sinus.
2. Heart rate is 71 beats per minute.
3. Normal P,QRS,T wave axis.
4. Normal PR,QRS,Q.T. Duration.
5. No pathological q wave or ST-T changes seen.
6. No evidence of chamber hypertrophy or enlargement seen.

IMPRESSION : ECG WITHIN NORMAL LIMITS

Revival Diagnostic
401, Aqua Corridor,
B/s. Star Bazar, surat-395009
Mo. 91062-28601


DR. ADITI PATEL
M.B.B.S., D.CARD(MUM)
CLINICAL CARDIOLOGIST
REG. NO: G-42901

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
0261 2747788, 9825947712 revivaldiagnostics.surat@gmail.com www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)



REVIVAL DIAGNOSTICS ADAJAN, SURAT



Last Name: ANEESH KUNJUNION CHARUVILA
First Name: ADIYU
ID: ADIYU
Date: 04-06-2025
Predicted: ERS 93

Date of Birth: 15-05-2000
Sex: Male
Ethnic Corr.: 75%
Description:
Comments:

Age: 25
Weight (Kg): 77
Height (cm): 168
BSA (m²): 1.87
Smoke: no
TEST 1 - 04-06-2025



Parameter (L)	Pred	Post	%Pred
FVC(L)	3.52	2.80	81.2
FEV1(SL)	3.01	2.22	73.8
FEV1(L)	82.71	90.5	116.7
FEV1/FVC%	70.4	75.1	108.7
PEF(L/s)	3.66	5.71	156
FEF25-75%(L/s)	5.98	7.47	124.9
Vmax25%(L/s)	3.93	6.21	158
Vmax50%(L/s)	1.8	3.7	205.6
Vmax75%(L/s)	---	2.19	---
FET100%(s)	56	64	---

Post: Normal Spirometry (%FEV1/FVC>80%, Pred %FEV1/FVC and FVC>80%, Pred FVC)

INTERPRETATION

Printed 04-06-2025
SPIRO EXCEL 1.1

Dr. Rajesh P. Patil
Revival Diagnostics
Medical Officer Regd No G-50/07

Asian Paints Ltd


Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

REVIVAL DIAGNOSTICS

ADAJAN
SURAT


Name	Case No.	Age	Sex
ANEESH CHARUVILA	194	25	M
Address		Phone No.	

Date	Referred By
6/4/2025	



Interpretation

HSNWL


Revival Diagnostics
Dr. Rajendra Pujara
MBBS, DM
Medical Officer - Regd. No. G-50177

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT_FY25-26 (Apr'25 - Sep'25)

6/10/25, 4:49 PM

Aneesh Kunjumon Charuvila(AS194/02)

**REVIVAL
DIAGNOSTICS**



Name	Aneesh Kunjumon Charuvila	Age/Gender	25Yrs/Male
Reg No.	AS194/02	Receipt No	4174
Referred By	ASIAN PAINTS LIMITED	City	ANKLESHWAR
Collection Type	CAMP	Collection DateTime	04-Jun-2025 06:55 PM

CHEST RADIOGRAPH (PA VIEW)

- Hilar shadows are within normal limits.
- Pulmonary vasculature appears normal.
- Cardiac appears normal in size.
- Both domes of the diaphragm are smooth.
- Both costophrenic recesses are clear.
- Both lung fields appear normal.
- Visualized bones and soft tissue shadows appear normal.

IMPRESSION: NORMAL STUDY.

**DR.CHIRAG K PATEL
RADIOLOGIST**

Chirag K Patel
**DR.CHIRAG K PATEL
MBBS - DMRD
Reg. No: G-23509
RADIOLOGIST**

Dr. Chirag K. Patel
MBBS-DMRD
Reg. No. G-23509
Revival Diagnostic
4th Floor, Aqua Corridor,
Nr. Star Bazar, Hazira Road,
Adajan, Surat-395009.
Mo. 9726672668

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis


4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.
☎ 0261 2747788, 9825947712 ✉ revivaldiagnostics.surat@gmail.com 🌐 www.revivaldiagnostics.com
This medical report is not intended for medico-legal purposes.

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure P

Six monthly noise report



TEST CERTIFICATE FOR NOISE MONITORING

CS/7.8/87-EX

Page: 1 of 1

Customer's Name and Address :

M/s. ASIAN PAINTS LIMITED 2602, GIDC, INDUSTRIAL ESTATE, ANKLESHWAR - 393 002 TEL NO. (02646) 678 000	Test Report No. : PL/AP /25/07/0024 Issue Date : 19/07/2025 Customer's Ref. : PO. No. 0025385354 Date: 11/05/2024
--	---

Date of Sampling	: 08/07/2025
Test Method	: IS 9989
Sampling Location	: As per table
Sampling By	: Pollucon Laboratories Pvt. Ltd.

RESULT TABLE

SR. NO.	SAMPLING LOCATION	OBSERVATION	
		Day Time dB(A)	Night Time dB(A)
1	Near Gate No. 1	62.3	50.7
2	Near Admin Building	66.9	45.9
3	Near Canteen	57.1	45.1
4	Near ETP	70.9	62.1
5	Near Distribution Center	66.3	53.6
6	Incinerator Area	59.1	48.7
7	Contractor Workshop	67.1	57.9
8	Near Gate No.3	62.1	60.9
9	Barrel Cleaning Area	61.3	54.2
GPCB LIMIT*		75 dB(A)	70 dB(A)

*GPO per consent order No. 1000/118833/2011 dated 10/01/2012
Day time the limit is from 06:00 a.m. to 10:00 p.m.
Night time the limit is from 10:00 p.m. to 06:00 a.m.

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager(Q)

* Accredited by NABL - New Delhi under ISO 17025:2017 (Lab No. 1201) Environmental (Protocol No. 1006) Schedule II activities
• ISO 14001:2015 • ISO 9001:2015 • ISO 45001:2018 • ISO 18001:2017

***Pollucon Labs*, Plot No 5.B, Opp. Dalaji Industrial Society, Old Shantirath Sdk Mill Lane, Near Gaytri Famen Mart,
Nagivan Circle, JhPura Magdalla Road, Surat-393007, Gujarat, India**

Phone: 0261-2617758, 0261-2635751, 0261-2634775, 07818285574, URL: www.polluconlab.com, E-mail: polucon@gmail.com, info@polluconlab.com

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India

HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure Q

Solar data

Month	Solar power harvested within factory (in KWH)
Apr-25	34
May-25	0
Jun-25	0
Jul-25	76355
Aug-25	109530
Sep-25	98815
Total	284734

Asian Paints Ltd

Plot No 2702, 2703, 2602 to 2607 & 2609 to 2614 + 2701 A + 2701B,
GIDC Ind Estate, Ankleshwar 393002, Dist: Bharuch, Gujarat, India
HALF YEARLY EC COMPLIANCE REPORT FY25-26 (Apr'25 - Sep'25)

Annexure R

Scan of EC advertisement in newspaper

RAT
in zoo
Y of Baroda state
had killed deers 8 ago
ds life due to
Il rises to 17

Yield of seeds from Guj is better
In continuation from p. 2

Six-year-old girl raped; hunt on for accused

INDEX

M/S. ION EXCHANGE (INDIA) LTD.
ENVIRONMENTAL CLEARANCE

Asian Paints Limited

અંકલેશ્વર ખાતે વ્યક્તિગત લોન અંગે સેમિનાર સંપન્ન

કેલેબ્રેશન ડેવેલપ્મેન્ટ યુવાની નેશનલ ડે-ટીકેપ ક્રિકેટ ટોચમાં પસંદગી

સ્પર્ધાત્મક પરીક્ષાના જિલ્લા કલેક્ટર

સંબંધિત મહત્વના વિગતો