



Corporate Identification Number (CIN) : L24220MH1945PLC004598
For Shares related queries, email to investor.relations@asianpaints.com
For Customer queries / complaints / Dealership enquiries,
email to customercare@asianpaints.com
For HR related queries, email to careers@asianpaints.com
For Media related queries, e-mail to proffice@asianpaints.com

Asian Paints Limited
A-1 & B-2
UPSIDC Industrial Area,
Kasna II, Greater Noida,
Dist. Gautam Budh Nagar
U.P. - 203 207
Tel. : (0120) 234 4000
Fax : (0120) 234 1210
www.asianpaints.com

Ref No. KAS2026/05/10

Date: 28/05/2026

**To,
The Director, MoEF
Kendriya Bhawan
5th Floor, Sector H, Aliganj,
Lucknow – 226024**

Sub: Compliance report to the Environmental Clearance IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022

Please find enclosed the point wise compliance status to the above Environmental Clearance for the period of Oct'25 to Mar'26.

We hope the compliance report is as per the requirements.

Thanking you,

Yours sincerely,
For and behalf of Asian Paints Ltd. Kasna Plant

Sachin Bhatnagar
Associate General Manager
Asian Paints Ltd. Kasna Plant

Enclosure – Point wise compliance status to Environmental Clearance IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022 for the period Oct'25 to Mar'26.

CC: Regional Office, UPPCB- Greater Noida & The Member Secretary, UPPCB Lucknow.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

SEIAA CONDITIONS

ENVIRONMENT CLEARANCE IDENTIFICATION NO. EC22B021UP167316 dated 14.03.2022.

No	CONDITIONS	COMPLIANCE STATUS
1	In compliance of Hon'ble Court orders CNG based generator should be installed instead of diesel generator sets for power backup	Noted and complied. While we have replaced DG sets (5x500 KVA) with gas generator sets 2x1765 KVA and 1 x315 KVA to be used as back up in case of interruption in electricity supply from grid; we have also, for safety reasons, retained 1DG set (1x500KVA) as a backup for gas – generator sets, to manage critical operations (providing/sustaining continuous cooling for handling of Monomers) in case of emergency wherein there is no supply of PNG due to Indraprastha Gas limited (IGL) shutdown/breakdown etc.) in addition to grid supply of electricity not being available (due to power cut etc.). Having said that, the 1x500 kVA DG (RECD) is currently not in operation. If, and when we do plan to take it online, we will do so in compliance to CAQM guidelines.
2	Plantation should be proposed as per Miyawaki method i.e. planting different types. of trees at very close intervals which give a good green cover. A total of 33% of the plot area should be designated for green belt which should be raised along the boundaries of the plot with minimum of 03 mt width along the periphery in organized manner	Noted and complied. In addition to developing Greenbelt within our premises, APL Kasna has also adopted two plots from UPSIDA (P2 Park admeasuring 16,000 sqm; and Millennium Park admeasuring 17,400 sqm) wherein we have developed Greenbelt. With these measures, total green area with respect to existing plant premises is greater than 40 % complying with the OM vide F.No. IA3-22/14/2025-IA.III dated 29 th Oct 2025. Annexure 1 is attached with the details of the developed greenbelt.
3	Statutory Compliance	
1.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	We are situated in UPSIDA, and no forest land was diverted while setting up the plant, hence the said clause is not applicable to us.
2.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	We are situated in UPSIDA and do not fall under any wildlife protected area; hence the said clause is not applicable to us.
3.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule species in the study area).	There is no presence of any scheduled species in the study area; hence the said clause is not applicable to us.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

4.	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	CTE from UPPCB vide letter no. 130352/UPPCB/GreaterNoida(UPPCBRO)/CTE/GREATER NOIDA/2021, granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Uttar Pradesh State pollution Control Board for expansion capacity on 01/09/2021 with validity period 24/08/2021 to 23/08/2026. CCA from UPPCB vide letter no. 224592/UPPCB/GreaterNoida(UPPCBRO)/CTO/both/GREATER NOIDA/2024, granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981, Water (Prevention & Control of Pollution) Act, 1974 & Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016 from the Uttar Pradesh State pollution Control Board on 06/12/2024 with validity period 01/01/2025 to 31/12/2027
5.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time	CCA from UPPCB vide letter no. 224592/UPPCB/GreaterNoida(UPPCBRO)/CTO/both/GREATER NOIDA/2024, granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981, Water (Prevention & Control of Pollution) Act, 1974 & Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016 from the Uttar Pradesh State pollution Control Board on 06/12/2024 with validity period 01/01/2025 to 31/12/2027
6.	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Noted & complied
4	Air quality monitoring and preservation	
1.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate this system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and complied. We have installed OCEMS on for stacks for Monitoring Particulate Matter in line with specific condition No. 03 as per previous Air Consent (Ref no. 63211/UPPCB/Greater Noida (UPPCBRO) CTO/air/GREATER NOIDA/2019) dated 12/02/2020. The plant has been onboarded on the CPCB's new Online Emission and Effluent Monitoring System portal in October 2025. The IoT device was configured on the portal (https://cems.cpcb.gov.in) in December 2025 for one stack. Confirmation from the Board is awaited for configuration of the remaining stack stations on the same IoT device. Taking a regular update through a VC link, which has been provided for addressing API, programming, and data transmission-related queries (3:00 PM to 4:00 PM).

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

2.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Noted & complied. The following are currently being monitored: 1. RSPM- 15 Locations 2. Organic Solvent- 8 Locations 3. VOC- 30 Locations
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2s in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions	We carry out Ambient Air Quality monitoring at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. Please refer Annexure -2. The Ambient Air Quality readings has been attached in Annexure -2. The readings are not in line with standards issued, however is reflective of the ambient air quality in the Delhi NCR region. Our unit has already implemented multiple air pollution control measures, including: • Installation of dust collectors and scrubbers across critical areas. • Integration of RECD (Retrofit Emission Control Device) in our DG set, are in line with CAQM guidelines. • Transition from HSD to PNG fuel, significantly reducing emissions. • Use of Mechanized Sweeping within plant premises. Additionally, we will continue to adopt best precautionary practices to further minimize particulate matter within the project premises
4.	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and /or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Noted and complied. APL Kasna using PNG as fuel for the operations of its boilers, thermopac and GG sets. For emergency power DG sets are used with HSD diesel (<10ppm sulphur) as fuel. Coal is not used as fuel. The gaseous emissions are dispersed through stacks of adequate height as per CPCB/SPCB guidelines. Stack analysis report has been attached in Annexure -3
5.	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Noted and complied. Raw materials are stored in a covered in Raw Material Godown.
6.	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st	Noted and complied. The effluent parameters are within the said limit of G.S.R 608 (E). Incinerator emissions and effluent is not applicable in our case.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

	July, 2010 and amended from time to time shall be followed.	
7.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) shall be complied with	Complied. The Ambient Air Quality readings has been attached. The readings are not in line with standards issued, however is reflective of the ambient air quality in the Delhi NCR region. Please refer Annexure -2. Our unit has already implemented multiple air pollution control measures, including: • Installation of dust collectors and scrubbers across critical areas. • Integration of RECD (Retrofit Emission Control Device) in our DG set, are in line with CAQM guidelines. • Transition from HSD to PNG fuel, significantly reducing emissions. • Use of Mechanized Sweeping within plant premises. Additionally, we will continue to adopt best precautionary practices to further minimize particulate matter within the project premises.
5	Water quality monitoring and preservation:	
1.	The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)	Noted and complied. We have provided online continuous monitoring of effluent, installed web camera with night vision capability, as well as flowmeters in the channel/drain carrying effluent within the premises. The plant has been onboarded on the CPCB's new Online Emission and Effluent Monitoring System portal in October 2025. The IoT device for Online Continuous Monitoring station of Effluent was configured on the portal (https://cems.cpcb.gov.in) in December 2025.
2.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured, and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).	Noted and complied. No wastewater/ treated water is discharged outside our factory premises & it is being reused within premises.
3.	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.	Noted and complied. Monitoring report of final treated effluent (ETP and STP) for the month of March 2026 has been attached in Annexure-3.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

4.	Total freshwater requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard	Noted and complied. We have received NOC for abstraction of ground water from UPGWD as per registration no. 202106000403, 202106000398 & 202106000202. Annexure – 5 The annual Water Audit/Water Balance Report prepared by PHDCCI (NABET-accredited) has been submitted to UPGWD vide reference no. KAS2026/05/07 dated 19.05.2026. Further, the monthly water extraction reports and piezometer (DWLR – 01 no.) data have also been regularly submitted to the Nodal Office, UPGWD, Greater Noida.
5.	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system	Noted and complied.
6.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.	We are collecting rainwater in dedicated storage tanks for re-use in plant premises. However, rainwater is not recharged directly into ground as per the public notice issued by CGWA on 24 th Sep 2020.
7.	The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard	Noted and complied. All gas generator sets are equipped with suitable pollution devices (such as acoustic enclosures) and adequate stack height (in line with CBCB/UPPCB requirements) and all our emissions are in conformity with the extant regulations and guidelines. We have also replaced DG sets (5x500 KVA) with gas generator sets 2x1765 KVA and 1 x315 KVA to be used as back up in case of interruption in electricity supply from grid; we have also, for safety reasons, retained 1DG set (1x500KVA) as a backup for gas – generator sets, to manage critical operations (providing/sustaining continuous cooling for handling of Monomers) in case of emergency wherein there is no supply of PNG due to Indraprastha Gas limited (IGL) shutdown/breakdown etc.) in addition to grid supply of electricity not being available (due to power cut etc.). Having said that, the 1x500 kVA DG (RECD) is currently not in operation. If, and when we do plan to take it online, we will do so in compliance to CAQM guidelines.
6	Noise monitoring and prevention	
1.	Acoustic enclosure shall be provided to DG set for controlling the noise pollution	Noted and complied.
2.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation	Noted and complied. The Ambient Noise Monitoring report for March 2026 is enclosed as Annexure -6 for your reference

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

3.	The ambient noise levels should conform to the standards prescribed under EPA Rules, 1986 viz. 75	Noted and complied. The Ambient Noise Monitoring report for March 2026 is enclosed as Annexure -6 for your reference
7	Energy Conservation measures:	
1.	The energy sources for lighting purposes shall preferably be LED based.	Noted and complied. LED based energy lighting sources for lighting has been provided within plant premises.
8	Waste management:	
1.	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	Noted & complied, a dedicated pace has been bee provided for storage of Hazardous chemicals in tanks, tank farms, drums, carboys etc. Flame arresters have been provided on tank farm and the solvent transfer through pumps.
2.	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Noted. Hazardous waste is disposed in line with conditions specified in CCA received from UPPCB.
3.	The company shall undertake waste minimization measures as below: -	
a.	Metering and control of quantities of active ingredients to minimize waste	Noted and complied.
b.	Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	Noted and complied.
c.	Use of automated filling to minimize spillage	Noted and complied.
d.	Use of Close Feed system into batch reactors	Noted and complied.
e.	Venting equipment through vapour recovery system.	Noted and complied.
f.	Use of high-pressure hoses for equipment clearing to reduce wastewater generation	Noted and complied.
9	Green Belt:	
1.	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along roadsides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	Noted and complied. In addition to developing Greenbelt within our premises, APL Kasna has also adopted two plots from UPSIDA (P2 Park admeasuring 16,000 sqm; and Millennium Park admeasuring 17,400 sqm) wherein we have developed Greenbelt. With these measures, total green area with respect to existing plant premises is greater than 40 % complying with the OM vide F.No. IA3-22/14/2025-IA.III dated 29 th Oct 2025. A total area of 3,053 sqm has been developed using the Miyawaki plantation method.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

		Annexure -1 is attached with the details of the developed greenbelt
10	Safety, public hearing and human health issues:	
1.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and complied. The Fire NOC and the latest Mock Drill Report, along with photographs, are enclosed herewith as Annexure -7 for reference
2.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Noted and complied. The Fire NOC and the latest Mock Drill Report, along with photographs, are enclosed herewith as Annexure -7 for reference
3.	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Noted and complied.
4.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Noted and complied. The record related to training imparted to all employees on safety and health aspects of chemical handling are enclosed herewith as Annexure -8 for reference. Periodical medical examination reports are enclosed herewith as Annexure -11 for reference.
5.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted, Complied and will be complied. Toilets, safe drinking water, medical health care etc. were provided to the construction labour. As it was a brownfield project, and our factory is situated in GNIDA, we had mostly localized labour for the expansion work and all the necessary infrastructure and facilities were provided. That shall be complied in future while go for expansion.
6.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act	Noted and complied. Periodical medical examination reports are enclosed herewith as Annexure -11 for reference.
7.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places	Noted & complied.
11	Corporate Environment Responsibility:	
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Complied. Yes, we are compliant by the virtue of OM dated 30 th Sept 2020 and 25 th February 2021 which supersedes the OM dated 1 st May 2018, the company has proposed to undertake certain activities as Social Corporate Responsibility as per EMP.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

2.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation /violation of the environmental / forest /wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation/ violation of the environmental/ forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted and complied. Board resolution note has been attached in Annexure-5
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Noted and complied. Separate Environmental Cell at the project/production and company head quarter level has been set up with qualified personnel. Details of the name, designation, and qualifications of officers/staff involved in the Environment Management Cell are enclosed herewith as Annexure-11 for reference.
4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry /Regional Office along with the Six-Monthly Compliance Report	Noted and complied. The action plan for implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions, along with the responsibility matrix and year-wise progress of implementation, is enclosed herewith as Annexure-12 for reference.
5.	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out	Noted and complied. The Annual Self Environmental Audit Report and every three year third party Environment audit (scheduled annually) conducted at the plant is enclosed herewith in Annexure-13. Additionally, the certification issued by the third-party auditor is also attached in the same annexure for compliance.
12.	Miscellaneous:	
1.	Hazardous waste incinerator should be strictly used	Noted. We dispose our hazardous waste as per the disposal method mentioned in CCA through TSDF and no incinerator exists in the plant.
2.	Raw material handling should be done in such a way that no fugitive emission and spillage should take place	Noted and complied.

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

3.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Noted and complied. The copy of the newspaper cutting regarding advertisement of grant of EC in two local newspapers of vernacular language is being submitted as Annexure-14 for reference.
4	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	Noted and complied.
5.	The project proponent shall upload the status of compliance of the stipulated environment. Clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and complied. The weblink for uploading six monthly EC compliance is https://www.asianpaints.com/about-us.html under the head Corporate Citizenship and sub head Environmental Communications.
6	The project proponent shall monitor the criteria pollutants level namely, PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	Noted and complied.
7	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted & complied. The six-monthly compliance report shared with the office through the official mail, along with the screenshot of the uploads made on the Parivesh portal.
8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and complied. We have submitted Form V for FY 2024-25 to UPPCB on 25.09.2025 with ref no. KAS2025/09/07. The weblink for uploading Environmental statement Form-V is https://www.asianpaints.com/about-us.html under the head Corporate Citizenship and sub head Environmental Communications.
9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities,	Noted & complied, Approval obtained from SEAC/SEIAA; copy of EC letter submitted to regional office as well as the Ministry. CCA

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

	commencing the land development work and start of production operation by the project	granted by UPPCB & valid till 31/12/2027. CCA condition compliance copy submitted to concerned authorities.
10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted & complied. We will strictly adhere to the same stipulations made by the State Pollution Control Board and the State Government
11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and complied. The action plan for implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions, along with the responsibility matrix and year-wise progress of implementation, is enclosed herewith as Annexure-12 for reference.
12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted. During the execution phase of the Kasna Plant expansion, a minor variation occurred in the greenbelt area allocation from the originally proposed 26,772.88 sqm (27.67%) to 23,628 sqm (24.4%) of the total plot area. The company adopted two UPSIDA plots for greenbelt development admeasuring the following: • P2 Park (16,000 sqm, declared in EC application) • Millennium Park (17,400 sqm, adopted later) This brings the cumulative greenbelt area to approximately 58%, exceeding the 40% EC requirement, with both parks developed using the Miyawaki afforestation method. There is no change in production capacity, product mix, or manufacturing process as per the approved EC. We have submitted letters with Ref No. KAS 2025/10/07 dated 28/10/2025 notifying MS UPPCB, MS SEIAA and RO UPPCB about the changes in the Greenbelt post execution of the project within the plant premises.
13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted
14	The Ministry may revoke or suspend the clearance, if implementation of any of the above	Noted
15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted
16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the	Noted

ASIAN PAINTS LTD KASNA PLANT

ENVIRONMENT CLEARANCE - COMPLIANCE REPORT

Oct'25 to Mar'26

	Regional Office by furnishing the requisite data / information/monitoring reports	
17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter	Noted. CTE from UPPCB vide letter no. 130352/UPPCB/GreaterNoida(UPPCBRO)/CTE/GREATER NOIDA/2021, granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Uttar Pradesh State pollution Control Board for expansion capacity on 01/09/2021 with validity period 24/08/2021 to 23/08/2026. CCA from UPPCB vide letter no. 224592/UPPCB/GreaterNoida(UPPCBRO)/CTO/both/GREATER NOIDA/2024, granted under the provisions of Air (Prevention & Control of Pollution) Act, 1981, Water (Prevention & Control of Pollution) Act, 1974 & Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016 from the Uttar Pradesh State pollution Control Board on 06/12/2024 with validity period 01/01/2025 to 31/12/2027.
18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted

Annexure:

1. Details of the developed greenbelt.
2. Ambient Air Quality monitoring report -Mar'26
3. Stack analysis report -Mar'26
4. Treated effluent analysis report of ETP & STP -Mar'26.
5. Ground water NOC
6. Ambient noise Analysis report -Mar'26
7. The Fire NOC and the latest Mock Drill Report
8. The record of training on safety & health aspect of chemical handling
9. Periodical medical examination reports
10. Board resolution note
11. Environment Management cell
12. The action plan for implementation of the EMP
13. The Annual Self Environmental Audit Report & every three-year third-party Environment audit report
14. The copy of the newspaper cutting regarding advertisement of grant of EC in two local newspapers of vernacular language
15. Awareness session conducted towards Single Use Plastic